

WARNINGS

Hazard Statements: May be harmful in contact with skin. Causes mild skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. Suspected of causing cancer. Very toxic to aquatic life.

- Do not apply to seed that will be used for consumption.
- Store unused **FARMAG CAPTAN 500 FS** tightly closed in this container in a cool, well-ventilated place away from food, feeds, fertilizers and other chemicals.
- Keep out of reach of children, animals and uninformed persons.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions; quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the weed against the remedy concerned, as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment, or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

Precautionary Statements

General: If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapours, spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection.

Response IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center or doctor if you feel unwell. Specific treatment is urgent (see antidote, supplemental first aid instruction on this label). If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Collect spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents and container to an approved waste disposal plant.

- Prevent contamination of food, feed, eating utensils and drinking water.

For safety when mixing:

- Wear eye protection (face shield). If you get it in your eyes, flush it out immediately.
- Wear rubber gloves. If you get it on your skin, wash it off immediately.
- If you spill it on your clothes, change and wash them.
- **TRIPLE RINSE the empty container as follows:** Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.

For safety when applying:

- Avoid contact with the remedy as much as possible.
- Avoid contamination of other crops, grazing, rivers, dams and areas not under treatment.

For safety after application:

- Clean applicator thoroughly after use and dispose of wash water where it will not contaminate crops, grazing, rivers or dams.
- Destroy empty container and do not use for any other purpose.
- Change and wash your work clothes.
- Wash yourself.

FARM-AG

CAPTAN 500 FS

Reg. No. / Nr L10312 Act No. 36 of 1947/ Wet Nr 36 van 1947

FUNGICIDE

READ THE LABEL AND ATTACHED PACKAGED LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

FRAC FUNGICIDE GROUP CODE:**2****FRAC SWAMDODERGROEP CODE:**

A flowable fungicide seeddressing for the control of seedborne diseases of crops as indicated.

'n Vloeibare swamdoder saadbehandelingsmiddel vir die beheer van saadgedraagde siektes in gewasse soos aangedui.

ACTIVE INGREDIENT/AKTIEWE BESTANDDEEL:

Captab (dicarboximide)..... 500 g/l..... Kaptab (dikarboksimiede)

**DANGER****Hazard Statements:**

May be harmful in contact with skin.
 Causes mild skin irritation.
 May cause an allergic skin reaction.
 Causes serious eye damage.
 Toxic if inhaled.
 Suspected of causing cancer.
 Very toxic to aquatic life.

Precautionary Statements:

Do not breathe vapours, spray.
 In case of inadequate ventilation wear respiratory protection.
 IF ON SKIN: Wash with plenty of soap and water.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes.
 Immediately call a poison center or doctor.
 If skin irritation or rash occurs: Get medical advice/attention.

Batch No:

D.O.M:

D.O.E:

Net Mass:

See reverse of packaging for details.

FOR FULL PARTICULARS SEE ATTACHED PAMPHLET.

VIR VOLLEDIGE BESONDERHEDE KYK AANGEHEGTE ETIKET.

UN No. / VR Nr: 3082**REGISTRATION HOLDER/ REGISTRASIEHOUER**

Cedar Falls Properties 130 (Pty) Ltd
 Reg. Nr: Reg. No. 2006/031383/07
 61 Marshall Drive, Old Mill Industrial Park,
 Mount Edgecombe, South Africa, 4300
 Tel: 031 003 3486

Poison Information Helpline (24 hrs): 0861 555 777**BARCODE**

100447

RELEVANT SUBSTANCES:

NAME	PRODUCT IDENTIFIER
Captab 97% TC	CAS-No.: 133-06-2
Monoethylene glycol	CAS-No.: 107-21-1
Polyethylene glycol 2,4,6 tristyrylphenyl ether	CAS-No.: 105362-40-1
Alkylated naphthalene sulfonate sodium salt	CAS-No.: 68425-94-5

BAGS CONTAINING TREATED SEED MUST BE CLEARLY MARKED AND DO NOT RE-USE FOR ANY OTHER PURPOSE.**MODE OF ACTION:**

Non-systemic fungicide with protective and curative activity. Possibly degrades via hydrolysis, to the corresponding thiophosgene, which may be the biologically active species.

DIRECTIONS FOR USE

Use only as indicated

It is a violation of Government Notices R.1716 of 26 July 1991 and R.181 of 7 February 2003 issued in terms of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act No 36 of 1947), to use this product in a manner inconsistent with its labelling.

Treatment of seed with this remedy is primarily for the control of various seed decay and damping-off diseases which influence the overall plant population. It will, however, also destroy the spores of certain other diseases, as mentioned below, which may be present on the surface of the seed thus avoiding contamination of the soil and/or seedling by means of contaminated seed.

APPLICATION:

For treatment of various crop seeds use the rates for **FARMAG CAPTAN 500 FS** indicated in the table hereunder together with equal volumes of clean water which may be increased or decreased slightly to ensure adequate seed coverage.

DOSAGE RATES FOR APPLICATION:

CROP	DOSAGE
MAIZE Cob and Tassel smut	225 mℓ / 100 kg seed mixed with an equal volume of water
SORGHUM Covered smut	240 m ℓ/ 100 kg seed. If necessary adjust the volume of water added accordingly.
COTTON Seedling disease (<i>Rhizoctonia solani</i>), Anthracnose and boll rot	180 mℓ / 100 kg acid delinted seed or 360 mℓ / 100 kg machine delinted seed. If necessary adjust the volume of water added accordingly.
VEGETABLES, ORNAMENTALS & FLOWERS Seed decay and other external seed-borne diseases	12 to 24 mℓ / 10 kg seed. If necessary adjust the volume of water added accordingly.
WHEAT Stinking smut (Bunt) and Flag smut	120 mℓ / 100 kg seed. If necessary adjust the volume of water added accordingly.



WAARSKUWINGS:

Gevaarstellings: Kan skadelik wees in kontak met vel. Veroorsaak ligte velirritasie. Kan 'n allergiese velreaksie veroorsaak. Veroorsaak ernstige oogskade. Giftig indien ingeasem. Word daarvan verdink dat hy kanker veroorsaak. Baie giftig vir waterlewe.

- Moenie toedien op saad wat bestem is vir inname nie.
- Berg ongebruikte **FARMAG CAPTAN 500 FS** dig gesluit in hierdie houer in 'n koel, goed geventileerde plek weg van voedsel, voer, kunsmis en ander chemikalieë.
- Hou buite bereik van kinders, diere en oningeligte persone.

Alhoewel hierdie middel omvattend onder 'n groot verseidenheid toestande getoets is, waarborg die registrasiehouer nie dat dit doeltreffend sal wees onder alle toestande nie aangesien die werking en effek daarvan beïnvloed kan word deur faktore soos abnormale klimaats- en bergingstoestande; kwaliteit van verdunningswater, verenigbaarheid met ander stowwe wat nie op die etiket aangedui is nie en die voorkoms van weerstand van die siekte teen die betrokke middel sowel as die metode, tyd en akkuraatheid van toediening. Verder aanvaar die registrasiehouer nie verantwoordelikheid vir skade aan gewasse, plantegroei, die omgewing of vir nadelige effek op mens of dier of vir gebrek aan prestasie van die betrokke middel as gevolg van die versuim van die gebruiker om etiket aanwysings te volg of as gevolg van die ontstaan van toestande wat nie voorsien kon word in die registrasie. Raadpleeg die verskaffer in die geval van enige onsekerheid.

VOORSORGMATREËLS:

Voorsorgstellings

Algemeen: Indien mediese advies benodig word, hou produkhouer of etiket byderhand. Hou buite bereik van kinders. Lees etiket voor gebruik. **Voorkoming:** Kry spesiale instruksies voor gebruik. Moet nie hanteer voordat alle veiligheidsmaatreëls gelees en verstaan is nie. Moenie dampe, sproei insasem nie. Was hande, voorarms en gesig deeglik na hantering. Moet nie eet, drink of rook wanneer hierdie produk gebruik word nie. Gebruik slegs buite of in 'n goed geventileerde area. Besoedelde werksklere moet nie uit die werkplek toegelaat word nie. Verminder vrylating na die omgewing. Dra beskermende handskoene/beskermende klere/oogbeskerming/gesigbeskerming. Dra asemhalingsbeskerming in geval van onvoldoende ventilasie.

Reaksie: INDIEN OP DIE VEL: Was met baie seep en water. INDIEN INGESAEM: Verwyder persoon na vars lug en hou gemaklik om asem te haal. Bel dadelik 'n gifsentrum of dokter. INDIEN IN OÊ: Spoel versigtig uit met water vir 'n paar minute. Verwyder kontaklense, indien teenwoordig en maklik om te doen. Gaan voort met spoel. INDIEN blootgestel of bekommerd: Kry mediese advies/aandag. Bel 'n gifsentrum of dokter as jy onwel voel. Spesifieke behandeling is dringend (sien teenmiddel, aanvullende noodhulpinstruksies op hierdie etiket). Indien velirritasie of uitslag voorkom: Kry mediese advies/aandag. Trek besoedelde klere uit en was dit voor hergebruik. Versamel gemors.

Berging: Berg in 'n goed geventileerde plek. Hou die houer dig toe. Stoor toegesluit.

Wegdoening: Gooi inhoud en houer weg na 'n goedgekeurde afvalverwyderingsaanleg.

- Verhoed besoedeling van voedsel, voer, drinkwater en eetgerei.

Veiligheid tydens vermenging:

- Dra oog beskerming (skild of bril). In geval van oog kontaminasie, spoel onmiddellik uit.
- Dra beskermende rubber handskoene. In geval van velkontak, was dit onmiddellik af.
- Dra beskermende klere. In geval van storting op klere, trek uit en was.
- **SPOEL die leë houer DRIEKEER UIT soos volg:** Keer die leë houer om oor die spuit- of mengtenk en dreineer vir ten minste 30 sekondes nadat die vloeï tot drup verlengsaam het. Spoel die leë houer daarna drie keer agtereenvolgens uit met een kwart van die houer volume vars water en gooi die spoelwater in die spuit- of mengtenk. Prik die driefvoudig uitgespoelde houer deur en gooi weg via 'n goedgekeurde versamelaar of herwiner (www.croplife.co.za). Moet nie die houer begrawe, verbrand of skenk aan enige ander partye wat dit as 'n houer vir kos of drank kan gebruik nie.

Veiligheid tydens toediening:

- Verminder kontak met middel so veel as moontlik.
- Verminder besoedeling na ander gewasse, weidings, riviere, damme en areas nie onder behandeling nie.

Veiligheid na toediening:

- Maak toedieningsapparaat deeglik skoon na gebruik en doen weg met waswater waar dit nie ander gewasse, weidings, riviere of damme sal besoedel nie.
- Vernietig leë houer en moet dit vir geen ander doel gebruik nie.

- Trek werksklere uit en was.
- Was jouself.

RELEVANTE STOWWE

NAAM	PRODUK IDENTIFISEERDER
Captab 97 % TS	CAS-Nr.: 133-06-2
Mono-etileenglikol	CAS-Nr.: 107-21-1
Poliëtileenglikol 2,4,6 trisirielfenieleter	CAS-Nr.: 105362-40-1
Gealkyleerde naftaleensulfonaatnatriumsout	CAS-Nr.: 68425-94-5

SAKKE WAT BEHANDELDE SAAD BEVAT MOET DUIDELIK GEMERK WEES EN MOENIE HERGEBRUIK WORD VIR ENIGE ANDER DOEL NIE.

WYSE VAN AKSIE

Nie-sistemiese swamdoder met beskermende en genesende aktiwiteit. Degradeer moontlik via hidrolise, na die ooreenstemmende tiosfosgeen, wat die biologies aktiewe spesie kan wees.

GEBRUIKSAANWYSINGS Gebruik slegs soos aangedui

Dit is verbrekning van Regerings Kennisgewing R.1716 van 26 Julie 1991 en R.181 van 7 Februarie 2003 uitgereik in terme van die Wet op Misstawwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet No 36 van 1947), om hierdie produk te gebruik op 'n manier strydig met die etiket.

Behandeling van saad met hierdie middel is hoofsaaklik vir die beheer van verskeie saad verrot en verwelksiektes wat die algemene plant populasie beïnvloed. Dit sal egter ook sekere spore van sommige ander siektes ook vernietig soos genoem hieronder, wat teenwoordig mag wees op die oppervlak van die saad en vermy dus kontaminasie van die grond en/of saailinge deur gekontameneerde saad.

TOEDIENING:

Vir behandeling van verskeie gewas sade gebruik die dosisse vir **FARMAG CAPTAN 500 FS** soos aangedui in die tabel hieronder tesame met gelyke volumes skoon water wat ietwat verhoog of verlaag mag word om genoegsame saad bedekking te verseker.

DOSIS VIR TOEDIENING:

GEWAS	DOSIS
MIELIES Kop- en pluimbrand	225 mℓ / 100 kg saad gemeng met 'n gelyke volume water
SORGHUM Hulsbrand	240 m ℓ/ 100 kg saad. Indien nodig pas die volume water wat bygevoeg word dien ooreenkomstig aan.
KATOEN Saailing siekte (<i>Rhizoctonia solani</i>), Anthraknose and bolvrot.	180 mℓ / 100 kg suur ontveselde saad or 360 mℓ / 100 kg masjen ontveselde saad. Indien nodig pas die volume water wat bygevoeg word dien ooreenkomstig aan.
GROENTE, ORNAMENTALS & BLOMME Saad verrot en ander eksterne saad oordraagbare siektes	12 to 24 mℓ / 10 kg saad. Indien nodig pas die volume water wat bygevoeg word dien ooreenkomstig aan
KORING Stinkende brand (Bunt) and Vlag brand	120 mℓ / 100 kg saad. Indien nodig pas die volume water wat bygevoeg word dien ooreenkomstig aan



FARMAG

CAPTAN 500 FS

Reg. No. / Nr L10312 Act No. 36 of 1947/ Wet Nr 36 van 1947

FUNGICIDE

READ THE LABEL AND ATTACHED PACKAGED LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

FRAC FUNGICIDE GROUP CODE:**2****FRAC SWAMDODERGROEP CODE:**

A flowable fungicide seeddressing for the control of seedborne diseases of crops as indicated.

'n Vloeibare swamdoder saadbehandelingsmiddel vir die beheer van saadgedraagde siektes in gewasse soos aangedui.

ACTIVE INGREDIENT/AKTIEWE BESTANDDEEL:

Captab (dicarboximide)..... 500 g/l..... Kaptab (dikarboksimiede)

**DANGER****Hazard Statements:**

May be harmful in contact with skin.
 Causes mild skin irritation.
 May cause an allergic skin reaction.
 Causes serious eye damage.
 Toxic if inhaled.
 Suspected of causing cancer.
 Very toxic to aquatic life.

Precautionary Statements:

Do not breathe vapours, spray.
 In case of inadequate ventilation wear respiratory protection.
 IF ON SKIN: Wash with plenty of soap and water.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes.
 Immediately call a poison center or doctor.
 If skin irritation or rash occurs: Get medical advice/attention.

Batch No:

D.O.M:

D.O.E:

Net Mass:

See reverse of packaging for details.

FOR FULL PARTICULARS SEE ATTACHED PAMPHLET.

VIR VOLLEDIGE BESONDERHEDE KYK AANGEHEGTE ETIKET.

UN No. / VR Nr: 3082



REGISTRATION HOLDER/ REGISTRASIEHOUER

Cedar Falls Properties 130 (Pty) Ltd
 Reg. Nr: Reg. No. 2006/031383/07
 61 Marshall Drive, Old Mill Industrial Park,
 Mount Edgecombe, South Africa, 4300
 Tel: 031 003 3486

Poison Information Helpline (24 hrs): 0861 555 777**BARCODE**

100447

165(H) x 140(W) mm**CYAN****MAG****YEL****BLK****100447**