

WARNINGS

Hazard Statements: May be harmful if swallowed. May be harmful in contact with skin. May cause an allergic skin reaction. Toxic if inhaled. Very toxic to aquatic life with long lasting effects.

- Handle with care.
- Store away from food and feeds and out of reach of children, uninformed persons and animals.

DISCLAIMER:

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the weed against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS:

Precautionary Statements

General: If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

Prevention: Avoid breathing spray, vapours. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Collect spillage. Store in a well-ventilated place. Keep container tightly closed.

Storage: Store locked up.

Disposal: Dispose of contents and container to an approved waste disposal plant.

- Do not eat, drink or smoke while applying or preparing the spray mix, or before washing face and hands.
- Prevent spray drift onto other crops, grazing, rivers, dams and any area not under treatment.
- Prevent contamination of food, feeds, drinking water and eating utensils.
- Do not use near desirable plants or trees (e.g. wind breaks and ornaments trees alongside roads) or on areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. Do not use on soil where susceptible plants are to be grown in the foreseeable future.
- Thoroughly wash and rinse spray equipment after use and dispose of wash water where it will not contaminate crops, grazing, rivers and dams.
- **TRIPLE RINSE the empty container as follows:** Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.
- Destroy the empty container by perforation and flattening and do not use for any other purpose.

RELEVANT SUBSTANCES

NAME	PRODUCT IDENTIFIER
Ametryn TC	CAS-No.: 834-12-8
Monoethylene glycol	CAS-No.: 107-21-1
Tristyrylphenol Ethoxylates	CAS-No.: 99734-09-5
1,2-Benzisothiazolin-3-one	CAS-No.: 2634-33-5

FARM-AG

AMETRYN 500 SC

Reg. No. / Nr L7329 Act No. 36 of 1947/ Wet Nr 36 van 1947

HERBICIDE

READ THE LABEL AND ATTACHED PACKAGED LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

HRAC HERBICIDE GROUP CODE**5****ONKRUIDDODERGROEPCODE**

A suspension concentrate herbicide for the control of annual broadleaf weeds and grasses, as listed, in sugarcane, bananas and pineapples.

*n Suspensiekonsentraat onkruidodder vir die beheer van eenjarige breëblaaronkruid en grassoorte, soos aangetoon, in suikerriet, piesangs en pynappels.

ACTIVE INGREDIENT/AKTIEWE BESTANDDEEL:

Ametryn (triazine).....500 g/l.....Ametrin (triasien)

**DANGER****Hazard Statements:**

May be harmful if swallowed.
 May be harmful in contact with skin.
 May cause an allergic skin reaction.
 Toxic if inhaled.
 Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

Avoid breathing spray, vapours.
 IF ON SKIN: Wash with plenty of soap and water.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing,
 Call a doctor if you feel unwell.
 If skin irritation or rash occurs: Get medical advice/attention.

Batch No:

D.O.M:

D.O.E:

Net contents:

See reverse of packaging for details.

FOR FULL PARTICULARS SEE ATTACHED PAMPHLET.

VIR VOLLEDIGE BESONDERHEDE KYK AANGEHEGTE ETIKET.

UN No. / VR Nr: 3082**REGISTRATION HOLDER/ REGISTRASIEHOUER**

Cedar Falls Properties 130 (Pty) Ltd.

Co. Reg. No 2006/031383/07

61 Marshall Drive, Old Mill Industrial Park,

Mount Edgecombe, South Africa, 4300

Tel: 031 003 3486

FARM-AG

Poison Information Helpline (24 hrs): 0861 555 777**BARCODE**

100441

SYMPTOMS OF HUMAN POISONING

The product may be mildly irritating, but is unlikely to cause more than mild discomfort, which should disappear once contact ceases. Symptoms of acute exposure to high doses include nausea, vomiting, diarrhoea, muscle weakness and salivation.

FIRST AID TREATMENT

- **Inhalation:** Immediately remove source of contamination or move victim to fresh air. Avoid mouth-to-mouth resuscitation. Keep person warm and at rest. Treat symptomatically and supportively as and when required. Seek medical advice immediately.
- **Skin contact:** Remove contaminated clothing, shoes and leather goods immediately. Gently wipe off excess chemical. Wash skin gently and thoroughly with non-abrasive soap and large amounts of water until no evidence of chemical remains (approximately 15 to 20 minutes). If irritation persists, seek medical advice immediately.
- **Eye contact:** Immediately flush the contaminated eyes with gently flowing lukewarm water, occasionally lifting and lower lids, until no evidence of chemical remains (approximately 15 to 20 minutes). Severe contamination may require medical attention.
- **Ingestion:** Have victim rinse mouth thoroughly with clean water. Do not induce vomiting. **In serious cases, seek medical advice immediately.** Treat respiratory difficulty with artificial respiration and oxygen.

NOTE TO PHYSICIAN

No signs and symptoms of **FARM-AG AMETRYN 500 SC** poisoning are known or expected in humans. An antidote is neither known nor needed. Treat symptomatically when required. When large amounts have been ingested, gastric lavage or the administration of activated charcoal with water may be indicated.

MODE OF ACTION:

Photosynthetic electron transport inhibitor at the photosystem II receptor site. Selective systemic herbicide, absorbed by the leaves and roots, with translocation acropetally in the xylem, and accumulation in the apical meristems.

SOME WEED SPECIES NORMALLY CONTROLLED BY FARM-AG AMETRYN 500 SC OR MCPA (OR 2,4-D)

Broad leaf weeds

Amaranthus spp.
Bidens bipinnata
Bidens pilosa
Chenopodium album
Cleome monophylla
Commelina benghalensis
Conyza Canadensis
Datura spp.
Euphorbia hirta
Galinsoga parviflora
Nicandra physaloides
Portulaca oleracea
Richardia brasiliensis
Sida cordifolia
Solanum nigrum
Sonchus oleraceus

Pigweed
Spanish back jack
Common black jack
White goosefoot
Spindle Pod
Wandering Jew
Horseweed, fleabane
Thornapple
Red milkwood
Gallant soldier
Apple of peru
Purslane
Tropical richardia
Heartleaf sida
Black nightshade
Sowthistle

Note: broadleaf weeds should not be higher than 7,5 cm at time of application.

Grasses

Panicum schinzii
Panicum maximum
Panicum subalbidum
Echinochloa crusgalli
Eleusine indica
Digitaria sanguinalis
Setaria verticillata

Sweet buffalo grass
Common buffalo grass
Elbowgrass
Baryardgrass
Goosegrass
Crab finger grass
Sticky bristle grass

Setaria pallide-fusca
Urochloa panicoides

Red bristle grass
Herringbone grass

Note: Grasses should not be higher than 4cm at time of application. *Cyperus esculentus* (yellow nutsedge) will be suppressed by an application of **FARM-AG AMETRYN 500 SC**. If yellow nutsedge form an important part of the weed spectrum in sugarcane, a combination of **FARM-AG AMETRYN 500 SC** and MCPA (or 2,4-D) is recommended (see sugarcane).

DIRECTIONS FOR USE: use only as directed

SHAKE WELL BEFORE USE AND REPLACE CAP AFTER POURING.

Half-fill the spray tank with water, then pour the required quantity of **FARM-AG AMETRYN 500 SC** into the tank through a sieve. Top up with water. Keep the chemical in continuous suspension by mean of agitation. Flush tank out thoroughly with water after each day's spraying. If **FARM-AG AMETRYN 500 SC** is used in combination with a hormone-type herbicide, first mix the **FARM-AG AMETRYN 500 SC** with water as indicated above, then add the 2,4-D or MCPA to the tank.

APPLICATION:

FARM-AG AMETRYN 500 SC can be applied with any high or medium volume sprayer fitted with efficient agitation. Accurately calibrate spraying equipment prior to application. Use fan or flood jet nozzles to ensure a uniform coverage. Use 200 to 400 l/ha of mixture for overall application.

APPLICATION RATES:

SUGAR CANE

FARM-AG AMETRYN 500 SC may be applied at any development stage of the cane but weeds must be actively growing at not larger than indicated below.

WEEDS OR GRASSES	SOIL TYPES	FARM-AG AMETRYN 500 SC (ℓ / ha)
Mainly broadleaf weeds and annual grasses.	All	8,0
Mainly nutsedge (<i>C. Esculentus</i>)	All	3,0ℓ + 3,5ℓ MCPA (400g/ℓ) OR 2,0ℓ 2,4-D (720 g/ℓ)

Notes:

1. The latter treatment will control yellow nutsedge which is fully emerged at the time of spraying for a period of 3 to 6 weeks. The broadleaf weeds listed above and grasses smaller than 4cm will also be controlled. The treatment has a limited residual effect.
2. Sugarcane can be sprayed over the top provided it has not developed beyond the five leaf stage. Beyond this stage the spray must be directed below the canes leaves in such a way as to avoid contact with the cane leaves. Wherever possible preference should be given to a directed spray treatment where **FARM-AG AMETRYN 500 SC** plus MCPA or 2,4-D are used.
3. A non-toxic surfactant should be added to the final spray mixture to increase the efficacy of the treatment.
4. If the mixture stands for any length of time, stir well before commencing spraying again.

BANANAS

FARM-AG AMETRYN 500 SC can be applied during any development stage of the bananas, but care should be taken to ensure that the product is not sprayed directly onto the banana plant. **FARM-AG AMETRYN 500 SC** should be applied in spring or late summer to autumn onto weeds in an active stage of growth, but no larger than indicated above.

SOIL TYPE	FARM-AG AMETRYN 500 SC (ℓ / ha)
All	6,4

PINEAPPLES

FARM-AG AMETRYN 500 SC is recommended for use in mixed weed infestations where grass weeds are a particular problem. Apply as an early post emergence for the control of weeds as indicated below.

PERCENTAGE CLAY	FARM-AG AMETRYN 500 SC (ℓ / ha)
Under 20%	8,0
21- 35%	11,2
Over 35%	Not recommended



WAARSKUWINGS

Gevaarstellings: Kan skadelik wees indien ingesluk. Kan skadelik wees in kontak met die vel. Kan 'n allergiese velreaksie veroorsaak. Giftig indien ingeasem. Baie giftig vir waterlewe met langdurige effekte.

- Hanteer versigtig
- Bêre weg van voedsel en voer en hou buite bereik van kinders, oningeligte persone en troeteldiere.

Alhoewel hierdie middel omvattend onder 'n groot verskeidenheid toestande getoets is, waarborg die registrasiehouer nie dat dit onder alle toestande doeltreffend sal wees nie aangesien die werking en effek daarvan beïnvloed kan word deur faktore soos abnormale grond-, klimaats- en bergtoestande; kwaliteit van verdunningswater; verenigbaarheid met ander stowwe wat nie op die etiket aangedui is nie en die voorkoms van weerstand van die plaag teen die betrokke middel sowel as die metode, tyd en akkuraatheid van toediening. Verder aanvaar die registrasiehouer nie verantwoordelikheid vir skade aan gewasse, plantegroei, die omgewing of vir nadelige effek op mens en dier of vir 'n gebrek aan prestasie van die betrokke middel as gevolg van die versuim deur die gebruiker om etiketaanwysings na te kom of as gevolg van die ontstaan van toestande wat nie kragtes die registrasie voorsien kon word nie. Raadpleeg die verskaffer in geval van enige onsekerheid.

VOORSORGMAATREËLS

Voorsorgstellings

Algemeen: Indien mediese advies benodig word, hou produkhouer of etiket byderhand. Hou buite bereik van kinders. Lees etiket voor gebruik.

Voorkoming: Vermo asemhaling van spuitnewel, dampe. Gebruik slegs buite of in 'n goed geventileerde area. Besoedelde werksklere moet nie uit die werkplek toegelaat word nie. Vermo vrylating na die omgewing. Dra beskermende handskoene/beskermende klere/oogbeskerming/gesigbeskerming.

Reaksie: INDIEN OP DIE VEL: Was met baie seep en water. INDIEN INGESAEM: Verwyder persoon na vars lug en hou gemaklik om asem te haal. Bel 'n dokter as jy onwel voel. Indien velirritasie of uitslag voorkom: Kry mediese advies/aandag. Trek besoedelde klere uit en was dit voor hergebruik. Versamel gemors. Berg in 'n goed geventileerde plek. Hou die houer dig toe.

Berging: Stoor toegesluit.

Wegdoening: Gooi inhoud en houer weg na 'n goedgekeurde afvalverwyderingsaanleg.

- Moenie eet, drink of rook tydens toediening of voorneming nie, of voordat gesig en hande gewas is nie.
- Voorkom oorwaai van spuitnewel na ander gewasse, weiding, riviere, damme en enige ander gebied wat nie behandel word nie.
- Voorkom besoedeling van voedsel, voer, drinkwater en eetgerei.
- Moenie naby gewenste plante of bome (windbreke en sierbome langs paaië) of grondoppervlakte waar hul wortels mag wees, of vanwaar die middel na hul wortels beweeg of gespoel kan word, gebruik nie
- Was en spoel spuittoerusting na gebruik deeglik uit en gooi was – en spoelwater uit waar dit nie gewasse, weiding, riviere en damme sal besoedel nie.
- **SPOEL die leë houer DRIEKEER UIT soos volg:** Keer die leë houer om oor die spuit- of mengtenk en dreineer vir ten minste 30 sekondes nadat die vloeit toe drup verlangsam het. Spoel die leë houer daarna drie keer agtereenvolgens uit met een kwart van die houervolume vars water en gooi die spoelwater in die spuit- of mengtenk. Prik die drievoudig uitgespoelde houer deur en gooi weg via 'n goedgekeurde versamelelaar of herwinner (www.croplife.co.za). Moet nie die houer begrawe, verbrand of skenk aan enige ander partye wat dit as 'n houer vir kos of drank kan gebruik nie
- Vernietig die leë houer deur gate daarin te kap en plat te slaan en moet vir geen ander doel gebruik nie.

RELEVANTE STOWWE

NAAM	PRODUCT IDENTIFISEERDER
Ametryn TS	CAS-Nr.: 834-12-8
Mono-etileenglikol	CAS-Nr.: 107-21-1
Tristiryylfenol-etoksilate	CAS-Nr.: 99734-09-5
1,2-Bensisotiasolien -3-een	CAS-Nr.: 2634-33-5

SIMPTOME VAN MENSLIKE VERGIFTIGING

Die produk mag ligte irritasie veroorsaak, maar dit is onwaarskynlik dat dit meer as ligte ongemak sal veroorsaak nie, wat normaalweg sal ophou sodra daar nie meer kontak met die produk is nie.

Simptome van akute blootstelling aan hoë dosis sluit in Naarheid, braking,diarrhea, spier verslapping en spekselafskeiding.

NOODHULP

Inasem: Verwyder dadelik die bron van besoedeling of skuif patient na gebied met vars lug.Vermý mond tot mond asemhaling. Hou persoon kalm en warm. Behandel simptome. En ondersteun patient soos nodig. Kry dadelik mediese hulp.

Velkontak: Verwyder besoedelde klere, skoene en leer artikels dadelik.vryf verigtig die produk val die vel af. Was vel met baie koue water en sagte seep totdat geen spoor van die produk oorbly nie (ongeveer 15 tot 20 minute). Indien irritasie volhou kry dadelik mediese hulp.

Oog Kontak. Spoel dadelik besoedelde oë saggens met lou warm water en lig af en toe oog lede tot geen spoor van die produk sigbaar is nie (omtrent 15 tot 20 minute). Erge besoedeling mag mediese hulp benodig.

Insluk. Laat patient mond met koue water uit. Moenie braaking veroorsaak nie. **In erge gevalle kry dadelik mediese hulp.** Behandel asemhaaling probleme met kunsmtige asemhaling en suurstof.

NOTA AAN GENEESHEER

Geen simptome van **FARM-AG AMETRYN 500 SC** vergiftiging is bekend of ver wag in mense nie. Geen teenmiddel is bekend of benodig nie. Behandel simptome soos benodig. As groot hoeveelhede ingeneem is mag maagspoel nodig wees, of geaktiveerde houtskool ingegee word.

WYSE VAN AKSIE

Fotosintetiese elektrontransport-inhibeerder by die fotostam II-reseptorplek. Selektiewe sistemiese onkruidoder, geabsorbeer deur die blare en wortels, met translokasie akropetaal in die xileem, en akkumulasie in die apikale meristeme.

SOMMIGE ONKRUID SPESIE WAT DEUR FARM-AG AMETRYN 500 SC BEHEER WORD OF MCPA (2,4 D)

BREËBLAARONKRUIDE

Amaranthus spp.
Bidens bipinnata
Bidens pilosa
Chenopodium album
Cleome monophylla
Commelina benghalensis
Conyza Canadensis
Datura spp.
Euphorbia hirta.
Galinso ga parviflora
Nicandra physaloides
Portulaca oleracea
Richardia brasiliensis
Sida cordifolia
Solanum nigrum
Sonchus oleraceus

Misbredie
Spaanse knapsekêrel
Gewone knapsekêrel
Wit hondebossie
Rusperbossie
Wandelende Jood
Kanadese skraalhans
Stinkblaar
Rooi melkkruid
Knopkruid
Basterappelliefie
Porslein
Tropiese richardia
Hartblaartaaian
Nastergal
Sydissel

NOTA

Breëblaaronkruid moet nie hoër as 7,5 cm tydens toediening wees nie.

Grasse

Panicum schinzii
Panicum maximum
Panicum subalbidum
Echinochloa crusgalli
Eleusine indica
Digitaria sanguinalis

Soet buffelgrass
Gewone buffelgrass
Elmbooggras
Hanepootmanna
Jongosgras
Kruisingergras

Setaria verticillata
Setaria pallide-fusca
Urochloa panicoides

Klitsborselgras
Rooiborselgras
Beesgras

NOTA

Grasse moenie hoër as 4 cm tydens toediening wees nie. *Cyperus esculentus* (Geeluintjie) sal onder druk word deur 'n toediening van **FARM-AG AMETRYN 500 SC**. Indien geeluintjies deel van die onkruidspektrum in suikerriet uitmaak, word 'n kombinasie van **FARM-AG AMETRYN 500 SC** en MCPA (of 2,4-D) aanbeveel (sien suikerriet).

GEBRUIKAANWYSINGS: Gebruik Slegs Soos Aangedui

SKUD GOED VOOR GEBRUIK PLAAS DEKSEL TERUG NA GEBRUIK.

Maak die spuittenk halfvol met water. Voeg die benodigde hoeveelheid **FARM-AG AMETRYN 500 SC** dan deur 'n sif in die tenk in. Vul die tenk verder met water. Hou die middel in die spuittenk voortdurend in suspensie deur roering. Aan die einde van die dag moet die spuittenk deeglik met water uitgespoel word. Wanneer **FARM-AG AMETRYN 500 SC** in kombinasie met 'n hormoon tipe onkruid doder gebruik word, moet dit eers alleen soos hierbo beskryf, vermeng word en daarna moet die MCPA of 2,4-D bygevoeg word.

TOEDIENING

FARM-AG AMETRYN 500 SC toegedien word met enige hoë of medium volume gepaste spuit wat toegerus is met doeltreffende roer stelsel, Maak seker die spuittoerusting is korrek gekalibreer om die verlangde dosis te lewer. Gebruik platwaaiere spuitpunte of vloed spuitpunte en verseker egalige toediening. Gebruik 200 tot 400 liter spuitmengsel per hektar vir algehele toediening.

TOEDIENINGSHOEVEELHEDE

SUIKERRIET

FARM-AG AMETRYN 500 SC kan teen enige stadium van die suikerriet toegedien word maar onkruid moet aktief groei en nie groter as hieronder aangedui nie.

BREËBLARE OF GRASSE	GRONDTIPES	FARM-AG AMETRYN 500 SC (ℓ/ha)
Hoofsaaklik breëblaaronkruid en eenjarige grasse	Alle tipes	8,0
Hoofsaaklik uintjies (<i>C. esculentus</i>)	Alle tipes	3,0 ℓ + 3,5 ℓ MCPA (400 g/ℓ) of 2,0 ℓ 2,4-D (720 g/ℓ)

NOTA:

1. Die laasgenoemde behandeling sal geel uintjies wat ten volle opgekom het vir 3 tot 6 weke beheer. Die bogenoemde breë blaar onkruid en grasse klieren as 4 cm sal ook beheer word. Die behandeling het 'n beperkte nawerking.
2. Suikerriet kan ook algeheel bo oor bespuit word mits dit nie verder as die vyfblaar stadium ontwikkel het nie. Indien die suikerriet verder as hierdie stadium ontwikkel het, moet die bespuiting so gerig word dat dit nie die suikerriet se blare benat nie. Dit is verkieslik dat bespuiting van **FARM-AG AMETRYN 500 SC** plus MCPA of 2,4-D in elk geval so gerig moet word dat dit nie die suikerriet se blare benat nie.
3. 'n Nie-ioneise benattingsmiddel moet by die spuitmengsel gevoeg word om die effektiwiteit van die bespuiting te verbeter.
4. Indien die spuit proses met die mengsel vir 'n tyd stil gestaan het, moet dit deeglik geroer word voordat bespuiting hervat word.

PIESANGS

FARM-AG AMETRYN 500 SC kan gedurende enige stadium van die piesangplante se ontwikkeling toegedien word mits die spuitstof nie direk op die piesangplante gespuit word nie. Dien **FARM-AG AMETRYN 500 SC** toe tydens lente of laat somer tot herfs op onkruid in die aktiewe groeistadium, maar wat nie groter is as hiebo aangedui nie.

GRONDTIPE	FARM-AG AMETRYN 500 SC (ℓ / ha)
Alle gronde	6,4 ℓ

PYNAPPELS

FARM-AG AMETRYN 500 SC word aanbeveel vir gebruik waar gemengde onkruidsoorte voorkom en veral waar eenjarige grasse 'n probleem is. Dien toe as 'n vroeë na-opkom behandeling vir die beheer van onkruid soos hierbo aangedui.

KLEIPERSENTASIE	FARM-AG AMETRYN 500 SC (ℓ / ha)
Onder 20 %	8,0 ℓ
21 – 35 %	11,2 ℓ
Hoër as 35%	Nie aanbeveel nie



FARM-AG

AMETRYN 500 SC

Reg. No. / Nr L7329 Act No. 36 of 1947/ Wet Nr 36 van 1947

HERBICIDE

READ THE LABEL AND ATTACHED PACKAGED LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

HRAC HERBICIDE GROUP CODE**5****ONKRUIDDODERGROEPCODE**

A suspension concentrate herbicide for the control of annual broadleaf weeds and grasses, as listed, in sugarcane, bananas and pineapples.

*n Suspensiekonsentraat onkruidodder vir die beheer van eenjarige breëblaaronkruid en grassoorte, soos aangetoon, in suikerriet, piesangs en pynappels.

ACTIVE INGREDIENT/AKTIEWE BESTANDDEEL:

Ametryn (triazine).....500 g/l.....Ametrin (triasien)

**DANGER****Hazard Statements:**

May be harmful if swallowed.
 May be harmful in contact with skin.
 May cause an allergic skin reaction.
 Toxic if inhaled.
 Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

Avoid breathing spray, vapours.
 IF ON SKIN: Wash with plenty of soap and water.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing,
 Call a doctor if you feel unwell.
 If skin irritation or rash occurs: Get medical advice/attention.

Batch No:

D.O.M:

D.O.E:

Net contents:

See reverse of packaging for details.

FOR FULL PARTICULARS SEE ATTACHED PAMPHLET.
 VIR VOLLEDIGE BESONDERHEDE KYK AANGEHEGTE ETIKET.

UN No. / VR Nr: 3082

REGISTRATION HOLDER/ REGISTRASIEHOUER
 Cedar Falls Properties 130 (Pty) Ltd.
 Co. Reg. No 2006/031383/07
 61 Marshall Drive, Old Mill Industrial Park,
 Mount Edgecombe, South Africa, 4300
 Tel: 031 003 3486

Poison Information Helpline (24 hrs): 0861 555 777**BARCODE**

100441

165(H) x 140(W) mm**CYAN****MAG****YEL****BLK****100441**