

FarmAg Alachlor 384 EC (alachlor 384 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 9/22/2022 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form	: Mixture
Trade name	: FarmAg Alachlor 384 EC (alachlor 384 g/l)
Type of product	: Herbicide
CAS-No.	: 15972-60-8
Product group	: End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: A pre-emergence emulsifiable concentrate weedkiller for the control of most annual grasses and certain broadleaf weeds in maize, sweetcorn, ground nuts, soyabeans, dry beans, sunflower, transplanted cabbage, broccoli, brussel sprouts, potatoes, sugarcane and pineapples.
Restricted use	This remedy is restricted due to its inclusion on Annex III of the Rotterdam Convention. This remedy may only be sold to and used by a registered pest control operator, or by someone under the supervision of a registered pest control operator, and only for those uses covered by the pest control operator's scope of registration, and only as directed on the label.

1.3. Supplier's details

Supplier

Farm-Ag International (Pty) Ltd
Old Mill Industrial Park
61, Marshall Drive
P.O. Box 1523
4300 Mount Edgecombe – Durban KwaZulu Natal
South Africa
T 031 003 3486

1.4. Emergency telephone number

Emergency number	: 24 Hr Emergency Number: In case of Poisoning: Poison Information Helpline : 0861 555 777
	In case of Spillage: HAZMAT:0800 147 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable liquids, Category 3	H226
Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 4	H312
Acute toxicity (inhalation:vapour) Category 4	H332
Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Carcinogenicity, Category 2	H351
Specific target organ toxicity – Repeated exposure, Category 2	H373
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Full text of H-statements: see section 16	

FarmAg Alachlor 384 EC (alachlor 384 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)



Signal word (GHS-ZA)

: Warning

Hazardous ingredients

: Alachlor 93% TC, calcium dodecylbenzenesulphonate, xylene

Hazard statements (GHS ZA)

: H226 - Flammable liquid and vapour.

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H351 - Suspected of causing cancer.

H373 - May cause damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (GHS ZA)

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P260 - Do not breathe vapours, spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P312 - Call a POISON CENTER or doctor if you feel unwell.

P314 - Get medical advice/attention if you feel unwell.

P330 - Rinse mouth.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use dry extinguishing powder, carbon dioxide (CO₂), foam to extinguish.

P391 - Collect spillage.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of container to an approved waste disposal plant.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Flammable liquid and vapour, Suspected of causing cancer, May cause damage to organs through prolonged or repeated exposure, Harmful in contact with skin, Harmful if inhaled, Harmful if swallowed, Causes skin irritation, May cause an allergic skin reaction, Very toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

FarmAg Alachlor 384 EC (alachlor 384 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
xylene	CAS-No.: 1330-20-7	≥ 50 – < 55	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315
Alachlor 93% TC	CAS-No.: 15972-60-8	≥ 40 – < 45	Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Sens. 1, H317 Carc. 2, H351 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
calcium dodecylbenzenesulphonate	CAS-No.: 26264-06-2	≥ 1 – < 5	Acute Tox. 4 (Oral), H302 Acute Tox. 5 (Dermal), H313 STOT RE 2, H373 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Fatty acids, C16-18, esters with ethylene glycol	CAS-No.: 91031-31-1	≥ 1 – < 5	Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Aquatic Acute 1, H400

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Harmful if inhaled. Dizziness. Nausea. Headache.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed. Cramps/uncontrolled muscular contractions. Headache. Vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Water spray as a fog can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Contain water used for fire-fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
-------------	--------------------------------

FarmAg Alachlor 384 EC (alachlor 384 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Personal protection (Emergency response) : Wear respiratory protection, Wear protective gloves, Wear protective clothing, Wear eye protection, Wear a face shield



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe vapours, spray. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not allow entering drains or watercourses. Spillage or uncontrolled discharges into water courses (or public waters) to be reported immediately to the Police and to the Department of Water/Environmental Affairs.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapours, spray. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area.
- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment.
- Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
- Storage area : Keep only in the original container. Keep out of direct sunlight. Store in a dry area. Store out of reach of unauthorised persons, children and animals.
- Incompatible products : Oxidizing agent.
- Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: Sources of sparks, flame or heat.
- Information on mixed storage : KEEP SUBSTANCE AWAY FROM: Food supplies. Water supplies.

FarmAg Alachlor 384 EC (alachlor 384 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Maximum storage period : 2 years

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

xylene (1330-20-7)

South Africa - Occupational Exposure Limits (Recommended Limits)

Local name	Xylene, o-, m-, p- or mixed isomers
OEL TWA [ppm]	200 ppm
OEL STEL [ppm]	300 ppm
Remark	SKIN (danger of cutaneous absorption)
Regulatory reference	Government Notice No. R. 280, 2021

South Africa - Occupational Exposure Limits (Airborne Pollutants)

Local name	Xylene, o-, m-, p- or mixed isomers
OEL TWA	218 mg/m ³
OEL TWA [ppm]	50 ppm
OEL STEL	435 mg/m ³
OEL STEL [ppm]	100 ppm
Remark	Sk (Danger of cutaneous absorption)
Regulatory reference	Government Notice No. R 904

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : No data available
Colour : Brown. clear.
Odour : Aromatic odour.
Odour threshold : No data available
pH : 5.5 – 7

FarmAg Alachlor 384 EC (alachlor 384 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 137 – 143 °C
Flash point	: 30 °C
Auto-ignition temperature	: 450 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 2.9 mPa
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.998
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Harmful in contact with skin.
Acute toxicity (inhalation)	: Harmful if inhaled.

FarmAg Alachlor 384 EC (alachlor 384 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

FarmAg Alachlor 384 EC (alachlor 384 g/l) (15972-60-8)

ATE ZA (oral)	975.28 mg/kg bodyweight
ATE ZA (Dermal)	1976.739 mg/kg bodyweight
ATE ZA (vapours)	11 mg/l/4h
Unknown acute toxicity (GHS ZA)Unknown acute toxicity (GHS ZA)	53.39% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 46.61% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))

Alachlor 93% TC (15972-60-8)

LD50 oral rat	930 mg/kg (Rat, Oral)
LD50 dermal rabbit	13300
LC50 Inhalation - Rat (Dust/Mist)	> 1.04 mg/l/4h

Fatty acids, C16-18, esters with ethylene glycol (91031-31-1)

LD50 oral rat	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Read-across, Oral (one dose), 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, Rat, Male / female, Read-across, Skin, 14 day(s))
LC50 Inhalation - Rat	> 2.619 mg/l air (Equivalent or similar to OECD 403, 6 h, Rat, Male, Read-across, Inhalation (aerosol), 7 day(s))

calcium dodecylbenzenesulphonate (26264-06-2)

LD50 oral rat	1300 mg/kg bodyweight Animal: rat, Guideline: other:
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:

Skin corrosion/irritation : Causes skin irritation.
pH: 5.5 – 7

Serious eye damage/irritation : Not classified
pH: 5.5 – 7

calcium dodecylbenzenesulphonate (26264-06-2)

Additional information	100 mg/24 h Moderate
------------------------	----------------------

Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : Suspected of causing cancer.
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

calcium dodecylbenzenesulphonate (26264-06-2)

LOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
LOAEL (dermal, rat/rabbit, 90 days)	286 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (dermal, rat/rabbit, 90 days)	< 286 mg/kg bodyweight Animal: rat, Animal sex: male
	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

FarmAg Alachlor 384 EC (alachlor 384 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Very toxic to aquatic life with long lasting effects.

Alachlor 93% TC (15972-60-8)

LC50 - Fish [1]	5.3 mg/l Rainbow trout
LC50 - Fish [2]	5.8 mg/l Bluegill sunfish
EC50 - Crustacea [1]	13 mg/l
EC50 - Other aquatic organisms [1]	> 320 mg/l Crayfish
EC50 72h - Algae [1]	0.012 mg/l Pseudokirchneriella subcapitata
Partition coefficient n-octanol/water (Log Kow)	3.09
Additional ecotoxicological information	Worms: LC50 (14d) for earthworms 387 mg/kg soil.

Fatty acids, C16-18, esters with ethylene glycol (91031-31-1)

LC50 - Fish [1]	> 0.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Read-across)
EC50 - Crustacea [1]	> 2.7 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Read-across, Locomotor effect)
BCF - Fish [1]	< 17 (32 day(s), Oncorhynchus mykiss, Flow-through system, Fresh water, Literature study)
Partition coefficient n-octanol/water (Log Pow)	6.27 (KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.359

calcium dodecylbenzenesulphonate (26264-06-2)

LC50 - Fish [1]	1.74 mg/l Test organisms (species): other:
NOEC (chronic)	0.253 mg/l Test organisms (species): other: Duration: '30 d'
NOEC chronic fish	0.23 mg/l Test organisms (species): other: Duration: '30 d'

12.2. Persistence and degradability

FarmAg Alachlor 384 EC (alachlor 384 g/l) (15972-60-8)

Persistence and degradability	No additional information available
-------------------------------	-------------------------------------

Alachlor 93% TC (15972-60-8)

Persistence and degradability	Biodegradability in soil: no data available.
-------------------------------	--

12.3. Bioaccumulative potential

FarmAg Alachlor 384 EC (alachlor 384 g/l) (15972-60-8)

Bioaccumulative potential	No additional information available
---------------------------	-------------------------------------

Alachlor 93% TC (15972-60-8)

Partition coefficient n-octanol/water (Log Kow)	3.09
---	------

FarmAg Alachlor 384 EC (alachlor 384 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Fatty acids, C16-18, esters with ethylene glycol (91031-31-1)

BCF - Fish [1]	< 17 (32 day(s), Oncorhynchus mykiss, Flow-through system, Fresh water, Literature study)
Partition coefficient n-octanol/water (Log Pow)	6.27
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.359

12.4. Mobility in soil

FarmAg Alachlor 384 EC (alachlor 384 g/l) (15972-60-8)

Mobility in soil	No additional information available
------------------	-------------------------------------

Alachlor 93% TC (15972-60-8)

Partition coefficient n-octanol/water (Log Kow)	3.09
Ecology - soil	Not toxic to bees in normal conditions of use.

Fatty acids, C16-18, esters with ethylene glycol (91031-31-1)

Partition coefficient n-octanol/water (Log Pow)	6.27
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.359

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available




SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
1993	1993	1993
14.2. Proper Shipping Name		
FLAMMABLE LIQUID, N.O.S. (contains alachlor 384 g/l)	FLAMMABLE LIQUID, N.O.S. (contains alachlor 384 g/l)	Flammable liquid, n.o.s. (contains alachlor 384 g/l)
14.3. Transport hazard class(es)		
3	3	3
		
14.4. Packing group		
III	III	III

FarmAg Alachlor 384 EC (alachlor 384 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SANS	IMDG	IATA
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

14.6. Special precautions for user

SANS

Special provisions (SANS)	: 223, 274
Limited quantities (SANS)	: 5 L
Limited quantities (SANS)	: 5 L
Packagings, large packagings and IBCs Packing instructions (SANS)	: P001, IBC03, LP01
Portable tank and bulk containers instructions (SANS)	: T4
Portable tank and bulk container special provisions (SANS)	: TP1, TP29

IMDG

Special provisions (IMDG)	: 223, 274, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER
Stowage category (IMDG)	: A

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date	: 22/09/2022
Revision date	: 03/09/2024

Full text of H-statements

H226	Flammable liquid and vapour.
------	------------------------------

FarmAg Alachlor 384 EC (alachlor 384 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of H-statements	
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.