

SECTION 1: Identification

1.1. Product identifier

Product form	: Mixture
Trade name	: FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l)
Type of product	: Herbicide
CAS-No.	: [51218-45-2] [88485-37-4]
Product group	: End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: An emulsifiable concentrate herbicide for the pre-emergence control of certain grasses and yellow nutsedge in maize, sunflowers, soy beans, dry beans, kidney beans and lupins.
------------------------------	---

1.3. Supplier's details

Supplier

Farm-Ag International (Pty) Ltd
Old Mill Industrial Park
61, Marshall Drive
P.O. Box 1523
4300 Mount Edgecombe – Durban KwaZulu Natal
South Africa
T 031 003 3486

1.4. Emergency telephone number

Emergency number	: 24 Hr Emergency Number: In case of Poisoning: Poison Information Helpline : 0861 555 777
	In case of Spillage: HAZMAT:0800 147 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable liquids, Category 3	H226
Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 4	H312
Acute toxicity (inhalation:vapour) Category 3	H331
Skin corrosion/irritation, Category 3	H316
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Repeated exposure, Category 2	H373
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Full text of H-statements: see section 16	

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)



FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Signal word (GHS-ZA)	: Danger
Hazardous ingredients	: Metolachlor 95% TC, calcium dodecylbenzenesulphonate, xylene
Hazard statements (GHS ZA)	: H226 - Flammable liquid and vapour. H302+H312 - Harmful if swallowed or in contact with skin H316 - Causes mild skin irritation H317 - May cause an allergic skin reaction. H331 - Toxic if inhaled. H373 - May cause damage to organs through prolonged or repeated exposure. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (GHS ZA)	: P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read label before use. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof equipment. P242 - Use non-sparking tools. P243 - Take action to prevent static discharges. P260 - Do not breathe vapours, spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 - Call a POISON CENTER or doctor if you feel unwell. P314 - Get medical advice/attention if you feel unwell. P330 - Rinse mouth. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use media other than water to extinguish. P391 - Collect spillage. P233 - Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of container to an approved waste disposal plant.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects	: Flammable liquid and vapour, May cause damage to organs through prolonged or repeated exposure, Toxic if inhaled, Harmful in contact with skin, Harmful if swallowed, Causes mild skin irritation, May cause an allergic skin reaction, Very toxic to aquatic life with long lasting effects.
---	---

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Metolachlor 95% TC	CAS-No.: 51218-45-2	≥ 85 – < 90	Flam. Liq. Not classified Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) Acute Tox. 3 (Inhalation:vapour), H331 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
xylene	CAS-No.: 1330-20-7	≥ 5 – < 10	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315
Tristyrylphenol Ethoxylates	CAS-No.: 99734-09-5	≥ 1 – < 5	Aquatic Chronic 3, H412
Calcium dodecylbenzenesulphonate	CAS-No.: 26264-06-2	≥ 1 – < 5	Acute Tox. 4 (Oral), H302 Acute Tox. 5 (Dermal), H313 STOT RE 2, H373 Aquatic Acute 2, H401 Aquatic Chronic 3, H412

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Toxic if inhaled.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

There is no specific antidote if this product is ingested. If a large amount has been ingested and emesis is inadequate, lavage stomach. The active ingredient of this product has a high affinity for activated charcoal. Five mg/kg activated charcoal suspension (50 g/400 ml water) can be given to absorb the remaining toxicant. Skin reactions have been treated with antihistamines and ointments containing an anti-inflammatory agent. Treat symptomatically. Contact with eyes may require specialized ophthalmologic attention.

Medical condition likely to be aggravated by exposure.

Individuals with allergic history or pre-existing dermatitis should use extra care in handling this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Water spray as a fog can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Do not use direct jet of water. Contain water used for fire-fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid and vapour.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

- Firefighting instructions : Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Personal protection (Emergency response) : Wear respiratory protection, Wear protective gloves, Wear protective clothing, Wear eye protection, Wear a face shield



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe vapours, spray. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not allow entering drains or watercourses. Spillage or uncontrolled discharges into water courses (or public waters) to be reported immediately to the Police and to the Department of Water/Environmental Affairs.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Do not touch spilled material; stop leak if you can do it without risk. Keep out unprotected persons and animals.
For spills: Soak up with absorptive material such as damp earth or sand or other suitable non-combustible absorbent material. Place the material into a clean, dry container and cover for subsequent disposal. In situations where product comes in contact with water, contain contaminated water for later disposal. Prevent material from spreading by damming in with absorptive material. Do not flush spilled material into drains. Keep spectators away and upwind.
To decontaminate spill area, tools and equipment, wash with a suitable solution (i.e. organic solvent, detergent bleach or caustic). Add the solution to the drums already collected. Label drums with its content and dispose it in accordance with local regulations.
Open burning or dumping of this material is prohibited.
Do not get water inside containers.
- Other information : Dispose of materials or solid residues at an authorized site.

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe vapours, spray. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment.
- Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
- Storage area : Keep only in the original container. Store out of reach of unauthorised persons, children and animals.
- Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: Sources of sparks, flame or heat.
- Information on mixed storage : KEEP SUBSTANCE AWAY FROM: Food supplies. Water supplies.
- Maximum storage period : 2 years

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

xylene (1330-20-7)	
South Africa - Occupational Exposure Limits (Recommended Limits)	
Local name	Xylene, o-, m-, p- or mixed isomers
OEL TWA [ppm]	200 ppm
OEL STEL [ppm]	300 ppm
Remark	SKIN (danger of cutaneous absorption)
Regulatory reference	Government Notice No. R. 280, 2021
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Xylene, o-, m-, p- or mixed isomers
OEL TWA	218 mg/m ³
OEL TWA [ppm]	50 ppm
OEL STEL	435 mg/m ³
OEL STEL [ppm]	100 ppm
Remark	Sk (Danger of cutaneous absorption)
Regulatory reference	Government Notice No. R 904

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

- Hand protection : Protective gloves
- Eye protection : Safety glasses
- Skin and body protection : Wear suitable protective clothing
- Respiratory protection : In case of inadequate ventilation wear respiratory protection.

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: amber.
Odour	: Aromatic odour.
Odour threshold	: No data available
pH	: 7 – 9
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 35 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.05
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: Miscible.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Harmful in contact with skin.
Acute toxicity (inhalation) : Toxic if inhaled.

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l) ([51218-45-2] [88485-37-4])	
ATE ZA (oral)	1178.198 mg/kg bodyweight
ATE ZA (Dermal)	1438.471 mg/kg bodyweight
ATE ZA (vapours)	3.332 mg/l/4h
Unknown acute toxicity (GHS ZA)Unknown acute toxicity (GHS ZA)	8.44% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 90.64% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 4.58% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))

Metolachlor 95% TC (51218-45-2)	
LD50 oral rat	1936 mg/kg Male rat
LD50 oral	1063 mg/kg Female rat
LD50 dermal rat	> 5050 mg/kg (Rat, Dermal)
LC50 Inhalation - Rat	> 2.02 mg/l/4h (4 h, Rat, Inhalation (vapours))

Fluxofenim (88485-37-4)	
LD50 oral rat	669 mg/kg
LD50 dermal rat	1540 mg/kg
LC50 Inhalation - Rat	> 1.2 mg/l

calcium dodecylbenzenesulphonate (26264-06-2)	
LD50 oral rat	1300 mg/kg bodyweight Animal: rat, Guideline: other:
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:

Skin corrosion/irritation : Causes mild skin irritation.
pH: 7 – 9
Serious eye damage/irritation : Not classified
pH: 7 – 9

calcium dodecylbenzenesulphonate (26264-06-2)	
Additional information	100 mg/24 h Moderate

Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.

calcium dodecylbenzenesulphonate (26264-06-2)	
LOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
LOAEL (dermal, rat/rabbit, 90 days)	286 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (dermal, rat/rabbit, 90 days)	< 286 mg/kg bodyweight Animal: rat, Animal sex: male
	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Very toxic to aquatic life with long lasting effects.

Metolachlor 95% TC (51218-45-2)	
LC50 - Fish [1]	3.9 mg/l Rainbow Trout
LC50 - Fish [2]	10 mg/l Bluegill Sunfish
EC50 - Crustacea [1]	25 mg/l
EC50 72h - Algae [1]	0.1 mg/l
Partition coefficient n-octanol/water (Log Kow)	2.9
Additional ecotoxicological information	Birds: Acute oral LD50 for mallard ducks and bobwhite quail >2150 mg/kg. Dietary LC50 (8d) for bobwhite quail and mallard ducks > 10 000 mg/kg. Bees: (LD50, mg/bee) >110 (oral and contact). Worms: LC50 (14d) for earthworms 140 mg/kg soil.

Fluxofenim (88485-37-4)	
LC50 - Fish [1]	0.86 mg/l Trout
LC50 - Fish [2]	2.5 mg/l Bluegill sunfish
LC50 - Other aquatic organisms [1]	0.22 mg/l Daphnia
Partition coefficient n-octanol/water (Log Kow)	2.9
Additional ecotoxicological information	Birds: Acute oral LD50 for Japanese quail and mallard ducks >2000 mg/kg. Dietary LC50 (8d) for Japanese quail >5620 mg/kg diet.

calcium dodecylbenzenesulphonate (26264-06-2)	
LC50 - Fish [1]	1.74 mg/l Test organisms (species): other:
NOEC (chronic)	0.253 mg/l Test organisms (species): other: Duration: '30 d'
NOEC chronic fish	0.23 mg/l Test organisms (species): other: Duration: '30 d'

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

12.2. Persistence and degradability

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l) ([51218-45-2] [88485-37-4])	
Persistence and degradability	No additional information available
Metolachlor 95% TC (51218-45-2)	
Persistence and degradability	Biodegradability in water: no data available.

12.3. Bioaccumulative potential

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l) ([51218-45-2] [88485-37-4])	
Bioaccumulative potential	No additional information available
Metolachlor 95% TC (51218-45-2)	
Partition coefficient n-octanol/water (Log Kow)	2.9
Bioaccumulative potential	No bioaccumulation data available.
Fluxofenim (88485-37-4)	
Partition coefficient n-octanol/water (Log Kow)	2.9

12.4. Mobility in soil

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l) ([51218-45-2] [88485-37-4])	
Mobility in soil	No additional information available
Metolachlor 95% TC (51218-45-2)	
Partition coefficient n-octanol/water (Log Kow)	2.9
Fluxofenim (88485-37-4)	
Partition coefficient n-octanol/water (Log Kow)	2.9

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
1993	1993	1993
14.2. Proper Shipping Name		
FLAMMABLE LIQUID, N.O.S. (contains metolachlor 915 g/l + safener 32 g/l)	FLAMMABLE LIQUID, N.O.S. (contains metolachlor 915 g/l + safener 32 g/l)	Flammable liquid, n.o.s. (contains metolachlor 915 g/l + safener 32 g/l)
14.3. Transport hazard class(es)		
3	3	3

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SANS	IMDG	IATA
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

14.6. Special precautions for user

SANS

Special provisions (SANS)	: 223, 274
Limited quantities (SANS)	: 5 L
Limited quantities (SANS)	: 5 L
Packagings, large packagings and IBCs Packing instructions (SANS)	: P001, IBC03, LP01
Portable tank and bulk containers instructions (SANS)	: T4
Portable tank and bulk container special provisions (SANS)	: TP1, TP29

IMDG

Special provisions (IMDG)	: 223, 274, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER
Stowage category (IMDG)	: A

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

FarmAg Metolachlor 915 S (metolachlor 915 g/l + safener 32 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 16: Other information

Issue date : 24/09/2022
Revision date : 24/09/2022
Supersedes : 24/09/2022

Full text of H-statements

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.