

WARNINGS:

Hazard Statements: May be harmful if swallowed. May be harmful in contact with skin. Causes mild skin irritation. Toxic if inhaled. Very toxic to aquatic life with long lasting effects.

- Store away from food and feed.
- Keep out of reach of children, uninformed persons and animals.
- **Re-entry Interval:** Do not enter treated area until spray deposit has dried.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be effective under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions; quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned, as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment, or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS:

Precautionary Statements

Prevention: Avoid breathing vapours, spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment.

Response IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. Specific treatment (see supplemental first aid instruction on this label). If skin irritation occurs: Get medical advice/attention. Collect spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents and container to an approved waste disposal plant.

- Do not eat drink or smoke whilst handling this product.
- Prevent contamination of food, feed, drinking water and eating utensils.
- **TRIPLE RINSE the empty container as follows:** Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.
- Destroy empty container and do not use for any other purpose.
- While spraying, avoid contact with the spray as much as possible. Avoid spray drift onto other crops, grazing, rivers or dams.
- Clean applicator thoroughly after use and dispose of clean sing water where it will not contaminate crops, grazing, rivers or dams.
- Change and wash your work clothes. Wash yourself.

RELEVANT SUBSTANCES:

NAME	PRODUCT IDENTIFIER
Bromacil 97% TC	CAS-No.: 314-40-9
Monoethylene glycol	CAS-No.: 107-21-1
Polyethylene glycol 2,4,6 tristyrylphenyl ether	CAS-No.: 105362-40-1

FIRST AID TREATMENT:

IF IN EYES:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
IF SWALLOWED:	Rinse mouth and then drink plenty of water. Do not induce vomiting, unless told by a poison control centre, or doctor. Seek medical attention. Never induce vomiting, or give anything by mouth, if the victim is unconscious, or having convulsions.



**READ THE LABEL AND ATTACHED PACKAGED LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

**HERBICIDE GROUP CODE****5****ONKRUIDDODER GROEPKODE**

A suspension concentrate applied as a soil herbicide with long residual action for the control of annual and perennial broadleaf weeds and some grasses as listed, in citrus, pineapples and industrial areas.

n Suspensieïkonsentraat aangewend as 'n grond toegedende onkruidodder met 'n lang nawerking vir die beheer van eenjarige en meerjarige breëblaar onkruid en sekere grasse soos gelys in sitrus, pynapples en industriële gebiede

ACTIVE INGREDIENT/AKTIEWE BESTANDDEEL:

Bromacil (substituted uracil)..... 500 g/ℓ Bromasil (gesubstitueerde urasil)

**DANGER****Hazard Statements:**

May be harmful if swallowed.
May be harmful in contact with skin.
Causes mild skin irritation.
Toxic if inhaled.
Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

Avoid breathing vapours, spray.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a poison centre or doctor if you feel unwell.
If skin irritation occurs: Get medical advice/attention.

Batch No:

D.O.M:

D.O.E:

Net Contents:

See reverse of packaging for details.

FOR FULL PARTICULARS SEE ATTACHED PAMPHLET.
VIR VOLLEDIGE BESONDERHEDE KYK AANGEHEGTE ETIKET.

In case of poisoning, call the following number:

Poison Information Helpline (24 hrs) 0861 555 777

Disaster Management Number: Spill Tech 086 100 0366

UN No. / VR Nr: 3082**REGISTRATION HOLDER/ REGISTRASIEHOUER**

Cedar Falls Properties 130 (Pty) Ltd
Reg. Nr: Reg. No. 2006/031383/07
61 Marshall Drive, Old Mill Industrial Park,
Mount Edgecombe, South Africa, 4300
Tel: 031 003 3486



Scan for GHS
and label details

BARCODE

IF ON SKIN:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
IF INHALED:	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or Poison Information Centre immediately.

RESISTANCE WARNING:

FARMAG BROMACIL 500 SC is a group code 5 herbicide. If **FARMAG BROMACIL 500 SC** from 5 group code is used repeatedly, without alternating with other herbicides from different group, any weed population may contain individuals naturally resistant to **FARMAG BROMACIL 500 SC** and other group code 5 herbicides. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds may not be controlled by **FARMAG BROMACIL 500 SC** or any other group code 5 herbicide.

To delay fungicide resistance:

- Avoid exclusive repeated use of herbicides from the same herbicide group code. Alternate with products from different herbicide group codes or tank mix with products from different herbicide group codes.
- Refer to individual product labels when alternating products or when using tank mixtures.
- Integrate other control methods (chemical, cultural, biological) into disease control programs.

MODE OF ACTION

Selective, systemic herbicide, absorbed primarily by roots, with limited absorption by leaves and stems, translocated acropetally in the xylem.

USE RESTRICTIONS

- Avoid applying near desirable plants or trees (like windbreaks, ornamental trees along roads and streets),
- On areas where the roots may extend and in locations where the chemical may be washed or moved into contact with these roots.
- Avoid using on soil where susceptible crops / plants are to be grown in the foreseeable future.

DIRECTIONS FOR USE: Use only as directed.

- Use a sprayer that will distribute the required amount evenly over the area to be treated.
- Use a coarse spray which will reduce drift.
- Best control results will also be achieved if the product is applied shortly before or when the weeds are growing actively.
- Rain or watering after application is recommended to wash the active material into the root zone, where it is taken up and will speed up control.
- Best control results will be achieved when weeds are short, when excess growth is mowed and removed before application.
- The effectiveness and length of time of control is dependent on the soil type, amount of rain and other conditions.
- Adequate agitation of the mixture is required.

CONSULT THE TABLE BELOW FOR RECOMMENDED APPLICATION RATES, TAKING INTO CONSIDERATION THE FOLLOWING SOIL CHARACTERISTICS OF THE APPLICATION SITE:

- Highly vulnerable:** [< 0,5 % organic matter; greater than 50% sand, water table < 2 m below surface and annual rainfall > 1000mm]:
Do not use more than 4,0 ℓ/ha **FARMAG BROMACIL 500 SC** per year.
- Moderately vulnerable:** [at least two of the characteristics as described previously are not present]:
Do not use more than 12,0 ℓ/ha **FARMAG BROMACIL 500 SC** per year.
- Least vulnerable:** [more than three of the characteristics as described previously are not present]:
Do not use more than 20,0 ℓ/ha **FARMAG BROMACIL 500 SC** per year.

CROP / SOIL TYPE	SPOT TREATMENT PER 50m ²	DOSAGE PER HA	REMARKS
Citrus			Apply to established trees more than 2 years old (only)
< 10 % clay	25 ml	4.8 ℓ	Use on clean, cultivated soil or on actively growing weeds in a young stage. Two applications at half rate with a 6 to 12 weeks interval, normally results in better control, than one application. Apply to moist soil using at least 1000 litres water per hectare. When spot spraying <i>Cynodon dactylon</i> , spray to the point of run-off.
10 to 15 % clay	30 ml	6.4 ℓ	
15 to 20 % clay	40 ml	8.0 ℓ	
20 to 35 % clay	50 ml	9.6 ℓ	
35 to 55 % clay	65 ml	12.8 ℓ	
Pineapples			Apply directly after planting or on established plantations
< 10 % clay	13 ml	2.4 ℓ	Apply as a full cover application on clean, cultivated soil. These rates do not control perennial broad-leaved weeds and grasses. Apply as an overall surface spray directly after planting, before active growth takes place, using at least 1000 litres water per hectare. Well established plantations may be treated also.
10 to 15 % clay	16 ml	3.2 ℓ	
15 to 20 % clay	20 ml	4.0 ℓ	
20 to 35 % clay	25 ml	4.8 ℓ	
Industrial Areas			Apply on railroads, road shoulders etc.
< 20 % clay		12.8 to 16 ℓ	Higher rate should be used where existing weeds are treated. Include a suitable contact herbicide in the spray, where dense growth of weeds occurs.
20 to 35 % clay		16 to 19.2 ℓ	
> 35% clay		19.2 to 24 ℓ	
ASH		24 ℓ	
			Do not exceed FARMAG BROMACIL 500 SC application volume of 24 ℓ of per season on the same treated area.

SOME OF THE WEED SPECIES NORMALLY CONTROLLED BY FARMAG BROMACIL 500 SC:

BOTANIC NAME	COMMON NAME
<i>Acacia mellifera</i> subsp. <i>detinens</i>	Black Thorn
<i>Acanthospermum hispidum</i>	Upright Starbur
<i>Amaranthus hybridus</i>	Common Pigweed
<i>Aristida congesta</i>	Tassel Three-Awn
<i>Brachiaria eruciformis</i>	Sweet Signal Grass
<i>Bidens bipinnata</i>	Spanish Blackjack
<i>Bidens pilosa</i>	Common Blackjack
<i>Chloris pycnothrix</i>	Spiderweb Chloris
<i>Commelina benghalensis</i>	Wandering Jew
<i>Cucumis</i> spp.	Bur Cucumber
<i>Cynodon dactylon</i>	Couch Grass
<i>Cyperus esculentus</i>	Yellow Nutsedge
<i>Cyperus rotundus</i>	Purple Nutsedge
<i>Digitaria sanguinalis</i>	Crab Finger-Grass
<i>Eleusine indica</i>	African Goose Grass

<i>Gamochaeta pensylvanica</i>	Pennsylvania Cudweed
<i>Hyparrhenia hirta</i>	Blue Thatching Grass
<i>Mesembryanthemum guerichianum</i>	Ice Plant
<i>Panicum maximum</i>	Guinea Grass
<i>Panicum schinzii</i>	Sweet Buffalo Grass
<i>Paspalum dilatatum</i>	Common Paspalum
<i>Pennisetum clandestinum</i>	Kikuyu Grass
<i>Portulaca oleracea</i>	Purslane
<i>Richardia brasiliensis</i>	Tropical Richardia
<i>Senecio spp</i>	Groundsel
<i>Setaria verticillata</i>	Sticky Bristlegrass
<i>Sida cordifolia</i>	Heart-Leaf Sida
<i>Tagetes minuta</i>	Heart-Leaf Sida
<i>Tragus racemosus</i>	Large Carrot-Seed Grass
<i>Zaleya pentandra</i>	African Purslane



WAARSKUWINGS:

Gevaarstellings: Kan skadelik wees indien ingesluk. Kan skadelik wees in kontak met die vel. Veroorsaak ligte velirritasie. Giftig indien ingeasem. Baie giftig vir waterlewe met langdurige effekte.

- Berg weg van voedsel en voer.
- Hou buite bereik van kinders, diere en oningeligte persone.
- **Herbetreding:** Moenie behandelde area betree voordat spuitstof droog is nie.

Alhoewel hierdie middel omvattend onder 'n groot verskeidenheid toestande getoets is, waarborg die registrasiehouer nie dat dit doeltreffend sal wees onder alle toestande nie aangesien die werking en effek daarvan beïnvloed kan word deur faktore soos abnormale klimaats- en bergingstoestande; kwaliteit van verdunningswater, verenigbaarheid met ander stowwe wat nie op die etiket aangedui is nie en die voorkoms van weerstnd van die siekte teen die betrokke middel sowel as die metode, tyd en akkuraatheid van toediening. Verder aanvaar die registrasiehouer nie verantwoordelikheid vir skade aan gewasse, plantegroei, die omgewing of vir nadelige effek op mens of dier of vir gebrek aan prestasie van die betrokke middel as gevolg van die versuim van die gebruiker om etiket aanwysings te volg of as gevolg van die ontstaan van toestande wat nie voorsien kon word in die registrasie. Raadpleeg die verskaffer in die geval van enige onsekerheid.

VOORSORGMATREËLS:

Voorsorgstellings
Voorkoming: Vermyn asemhaling van dampe, spuit. Gebruik slegs buite of in 'n goed geventileerde area. Vermyn vrylating na die omgewing.
Reaksie: INDIEN INASEMING: Verwyder persoon na vars lug en hou gemaklik om asem te haal. Bel 'n gifsentrum of dokter as jy onwel voel. Spesifieke behandeling (sien aanvullende noodhulpinstruksies op hierdie etiket). Indien velirritasie voorkom: Kry mediese advies/aandag. Versamel gemors.
Berging: Berg in 'n goed geventileerde plek. Hou die houer dig toe. Stoor toegesluit.
Wegdoening: Gooi inhoud en houer weg na 'n goedgekeurde afvalverwyderingsaanleg.

- Moenie eet, drink of rook terwyl hierdie middel hanteer word nie
- Verhoed besoedeling van voedsel, voer, drink water en eetgerei.
- **SPOEL die leë houters DRIEKEER AF op die volgende manier:** Keer die leë houer om oor die spuit- of mengtenk en laat dreineer vir minstens 30 sekondes nadat die vloeï tot 'n gedrup verminder het. Spoel die houer daarna drie keer uit met 'n volume water gelykstaande aan 'n derde van die volume van die houer. Voeg die spoelmiddel by die inhoud van die spuittenk voordat die houer op die voorgeskrewe wyse vernietig word. Moet nie die leë houer vir enige ander doeleindes hergebruik nie, maar vernietig dit deur gate daarin te maak, plat te slaan en in 'n goedgekeurde stortingsterrein te begrawe. Voorkom besoedeling van voedsel, voer, drinkwater en eetgerei. Voldoen aan plaaslike wetgewing wat van toepassing is op afvalverwydering.
- Vernietig leë houer en moet nie vir enige ander doel gebruik nie.
- Verhoed spuitstof wegdrywing na ander gewasse, weiding, riviere en damme.
- Maak spuittoerusting deeglik na gebruik skoon en raak ontslae van waswater waar dit nie gewasse, weiding, riviere of damme sal besoedel nie.
- Verkleef en was werksklere. Was jouself.

RELEVANTE STOWWE:

NAAM	PRODUK IDENTIFISEERDER
Bromacil 97% Ts	CAS-Nr.: 314-40-9
Mono-etileenglikol	CAS-Nr.: 107-21-1
Poliëtileenglikol 2,4,6 trisierfieneleter	CAS-Nr.: 105362-40-1

NOODHULP EN BEHANDELING:

INDIEN IN OÊ:	Spoel onmiddellik oorvloedig met water, ook onder die ooglede, vir minstens 15 minute. Verwyder kontak lense. Onmiddellike mediese aandag word verlang.
INDIEN INGESLUK:	Spoel mond en drink oorvloedig water. Moenie braking veroorsaak, tensy opdrag gegee word deur 'n gif beheersentrum of 'n dokter. Verkry mediese aandag. Moet nooit braking veroorsaak of iets deur mond toedien indien die slagoffer bewusteloos is of stuiptrekkings het nie.
INDIEN OP VEL:	Trek alle besoedelde klere onmiddellik uit. Was onmiddellik af met baie water. Indien vel irritasie aanhou, kontak 'n geneesheer. Was besoedelde klere voor hergebruik.
INDIEN INGEASEM:	Verwyder na vars lug. Indien asemhaling onreëlmatig of gestop het, pas kunsmatige asemhaling toe. Hou pasiënt warm en stil. Kontak 'n geneesheer of Gif Inligting Sentrum onmiddellik.

WEERSTANDS WAARSKUWING:

FARMAG BROMACIL 500 SC is 'n groep kode 5 onkruidodder. Indien **FARMAG BROMACIL 500 SC** van 5 groep kode herhaaldelik gebruik word sonder afwisseling met ander onkruidodders van 'n ander groep, mag die onkruid populasie sekere individue bevat wat natuurlik weerstandbiedig is tot **FARMAG BROMACIL 500 SC** en ander groep kode 5 onkruidodders. Die weerstandbiedige individue kan uiteindelik die onkruid bevolking domineer indien hierdie onkruidodders herhaaldelik gebruik word. Hierdie weerstandige onkruid mag dalk nie beheer word deur **FARMAG BROMACIL 500 SC** of enige ander groep kode 5 onkruidodder nie.

Om onkruidodder weerstandigheid te vertraag:

- Verminder die eksklusiewe en herhaalde gebruik van onkruidodders van dieselfde groep kode. Wissel af met produkte van verskillende onkruid groep kodes of gebruik tenkmengsels van produkte van verskillende onkruidodder groep kodes.
- Vervys na individuele produk etikette wanneer tussenprodukte wissel of van tenk mengsels gebruik maak,
- Integreer ander beheermaatreëls (chemies, bewerking, biologies) in onkruidodder programme.

WYSE VAN AKSIE:

Selektiewe, sistemiese onkruidodder, hoofsaaklik geabsorbeer deur wortels, met beperkte absorpsie deur blare en stingels, akropetaal getranslokeer in die xileem.

GEBRUIKSBEPERKINGS

- Moenie naby gewenste plante of bome (soos windbreke, sierbomelangs paaie en strate), op grondoppervlaktes waar hul wortels mag wees en in areas waar die produk mag in beweeg of in was om in kontak te kom met die wortels toedien nie.
- Moenie op grond gebruik waar binne afsienbare toekoms gevoelige gewasse / plante geplant gaan nie.

GEBRUIKSAANWYSINGS: Gebruik slegs soos aangedui.

- Gebruik 'n spuittoestel wat aanbevole hoeveelheid produk egalig oor die gebied wat behandel word sal versprei.
- Gebruik growwe druppels om spuitneweloorwaaiing te verminder.
- Beste beheer sal verkry word wanneer die produk toegedien word op aktief groeiende onkruid.
- Reën of benatting na toediening word aanbeveel om die aktief in die wortelsone waar dit opgeneem word in te was en sodoende beheer te bespoedig.
- Beste beheer sal behaal word wanneer die onkruid klein is of as dit afgesny en verwyder is voor toediening.
- Die doeltreffendheid en periode van beheer sal afhang van die tipe grond, die hoeveelheid reën en ander faktore.
- Deeglike roering van die mengsel is noodsaaklik.

RAADPLEEG DIE TABEL HIERONDER VIR AANBEVOLE TOEDIENINGS DOSISSE MET INAGNEMING VAN DIE VOLGENDE GROND EIENSKAPPE VAN DIE TOEDIENINGS AREA:

- Hoogs gevoelig:** [$< 0,5$ % organiese materiaal, groter as 50% sand, water tafel vlakke < 2 m onder die grondoppervlak en jaarlikse reënval $> 1000\text{mm}$]:
Moenie meer as $4,0 \text{ l/ha}$ **FARMAG BROMACIL 500 SC** per jaar toedien nie.
- Matig gevoelig:** [ten minste twee van die eienskappe soos beskryf vir hoogs gevoelig nie teenwoordig]: Moenie meer as $12,0 \text{ l/ha}$ **FARMAG BROMACIL 500 SC** per jaar toedien nie.
- Min gevoelig:** [meer as drie van die eienskappe voorheen beskryf kom nie voor]: Moenie meer as $20,0 \text{ l/ha}$ **FARMAG BROMACIL 500 SC** per jaar toedien nie.

GEWAS/ GROND Tipe	KOL BEHANDEL- ING PER 50m ²	DOSIS PER HA	OPMERKINGS
Sitrus			Dien slegs toe op gevestigde bome ouer as 2 jaar
< 10 % klei	25 ml	4.8 ℓ	Gebruik op skoonbewerkte grond of op jong aktief groeiende onkruid. Beter resultate kan verkry word met twee toedienings teen half dosis met 'n 6 tot 12 week interval, as 'n enkel toediening. Dien toe op klam grond oppervlak en gebruik ten minste 1000 liters water per hektaar. Vir kol bespuiting van <i>Cynodon dactylon</i> , spuit tot die punt van afloop.
10 tot 15 % klei	30 ml	6.4 ℓ	
15 tot 20 % klei	40 ml	8.0 ℓ	
20 tot 35 % klei	50 ml	9.6 ℓ	
35 tot 55 % klei	65 ml	12.8 ℓ	
Pynappels			Dien breedwerpig toe op skoonbewerkte grond.
< 10 % klei	13 ml	2.4 ℓ	Hierdie dosisse beheer nie meerjarige breëblaaronkruid en grasse nie. Dien toe as 'n eweredige grond bespuiting direk na plant, voor aktiewe groei begin en gebruik ten minste 1000 liter water per hektaar. Gevestigde plantasies mag ook behandel word. Dien direk na plant toe of op gevestigde plantasies.
10 tot 15 % klei	16 ml	3.2 ℓ	
15 tot 20 % klei	20 ml	4.0 ℓ	
20 tot 35 % klei	25 ml	4.8 ℓ	
Industriële Areas			Dien toe op spoorbane, padskouers, ens.
< 20 % klei		12.8 to 16 ℓ	Hoër dosis moet gebruik word waar bestaande onkruid behandel word. Voeg 'n geskikte kontak onkruidodder in die mengsel waar digte onkruid groei voorkom.
20 tot 35 % klei		16 to 19.2 ℓ	
> 35% klei		19.2 to 24 ℓ	
AS		24 ℓ	
			Moenie 24 ℓ FARMAG BROMACIL 500 SC per hektaar per seisoen in dieselfde behandelde area oorskrei nie.

SOMMIGE VAN DIE ONKRUID SPESIES NORMAALWEG BEHEER DEUR FARMAG BROMACIL 500 SC:

BOTANIESE NAAM	GEWONE NAAM
<i>Acacia mellifera subsp. detinens</i>	Swarthaak
<i>Acanthospermum hispidum</i>	Regop Sterklits
<i>Amaranthus hybridus</i>	Gewone Misbredie
<i>Aristida congesta</i>	Witsteekgras
<i>Brachiaria eruciformis</i>	Litsjiesinjalgras
<i>Bidens bipinnata</i>	Spaanse Knapsekêrel
<i>Bidens pilosa</i>	Gewone Knapsekêrel
<i>Chloris pycnothrix</i>	Spinnerak Chloris
<i>Commelina benghalensis</i>	Wandelende Jood
<i>Cucumis spp.</i>	Wilde Komkommer
<i>Cynodon dactylon</i>	Gewone Kweekgras
<i>Cyperus esculentus</i>	Geeluintjie
<i>Cyperus rotundus</i>	Rooiuintjie
<i>Digitaria sanguinalis</i>	Kruisingergras
<i>Eleusine indica</i>	Jongosgras
<i>Gamochaeta pensylvanica</i>	Gnaphalium

<i>Hyparrhenia hirta</i>	Dektamboekiegras
<i>Mesembryanthemum guerichianum</i>	Ys Plant
<i>Panicum maximum</i>	Gewone Buffelsgras
<i>Panicum schinzii</i>	Soetbuffelsgras
<i>Paspalum dilatatum</i>	Gewone Paspalum
<i>Pennisetum clandestinum</i>	Kikuyu Gras
<i>Portulaca oleracea</i>	Porslein
<i>Richardia brasiliensis</i>	Tropiese Richardia
<i>Senecio spp</i>	Senecio
<i>Setaria verticillata</i>	Klits Borselgras
<i>Sida cordifolia</i>	Verdompsterk
<i>Tagetes minuta</i>	Kakiebos
<i>Tragus racemosus</i>	Groot Wortelsaadgras
<i>Zaleya pentandra</i>	Muisvygie





**READ THE LABEL AND ATTACHED PACKAGED LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

HERBICIDE GROUP CODE**5****ONKRUIDDODER GROEPKODE**

A suspension concentrate applied as a soil herbicide with long residual action for the control of annual and perennial broadleaf weeds and some grasses as listed, in citrus, pineapples and industrial areas.

n Suspensieïkonsentraat aangewend as 'n grond toegedende onkruidodder met 'n lang nawerking vir die beheer van eenjarige en meerjarige breëblaar onkruiden en sekere grasse soos gelys in sitrus, pynapples en industriële gebiede

ACTIVE INGREDIENT/AKTIEWE BESTANDDEEL:

Bromacil (substituted uracil)..... 500 g/ℓ Bromasil (gesubstitueerde urasil)

**DANGER****Hazard Statements:**

May be harmful if swallowed.
May be harmful in contact with skin.
Causes mild skin irritation.
Toxic if inhaled.
Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

Avoid breathing vapours, spray.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a poison centre or doctor if you feel unwell.
If skin irritation occurs: Get medical advice/attention.

Batch No:

D.O.M:

D.O.E:

Net Contents:

See reverse of packaging for details.

FOR FULL PARTICULARS SEE ATTACHED PAMPHLET.
VIR VOLLEDIGE BESONDERHEDE KYK AANGEHEGTE ETIKET.

In case of poisoning, call the following number:

Poison Information Helpline (24 hrs) 0861 555 777

Disaster Management Number: Spill Tech 086 100 0366

UN No. / VR Nr: 3082



REGISTRATION HOLDER/ REGISTRASIEHOUER

Cedar Falls Properties 130 (Pty) Ltd
Reg. Nr: Reg. No. 2006/031383/07
61 Marshall Drive, Old Mill Industrial Park,
Mount Edgecombe, South Africa, 4300
Tel: 031 003 3486



Scan for GHS
and label details

BARCODE

100297