



FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 8/31/2022 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form	: Mixture
Trade name	: FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l)
Type of product	: Fungicide
CAS-No.	: 117428-22-5
Product group	: End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: Preventative, systemic, translaminar suspension concentrate fungicide for the control of the listed diseases in barley and wheat.
------------------------------	---

1.3. Supplier's details

Supplier

Farm-Ag International (Pty) Ltd
Old Mill Industrial Park
61, Marshall Drive
P.O. Box 1523
4300 Mount Edgecombe – Durban KwaZulu Natal
South Africa
T 031 003 3486

1.4. Emergency telephone number

Emergency number	: 24 Hr Emergency Number: In case of Poisoning: Poison Information Helpline : 0861 555 777
	In case of Spillage: HAZMAT:0800 147 112

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Acute toxicity (dermal), Category 5	H313
Acute toxicity (inhalation:vapour) Category 3	H331
Serious eye damage/eye irritation, Category 2A	H319
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H-statements: see section 16	

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)	:  
Signal word (GHS-ZA)	: Danger
Hazardous ingredients	: Picoxystrobin TC, Humectant
Hazard statements (GHS ZA)	: H313 - May be harmful in contact with skin H319 - Causes serious eye irritation. H331 - Toxic if inhaled. H400 - Very toxic to aquatic life.

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Precautionary statements (GHS ZA)

H411 - Toxic to aquatic life with long lasting effects.
: P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P103 - Read label before use.
P261 - Avoid breathing vapours, spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P273 - Avoid release to the environment.
P280 - Wear protective clothing, eye protection, face protection, protective gloves.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P311 - Call a doctor.
P312 - Call a POISON CENTER or doctor if you feel unwell.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P391 - Collect spillage.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Harmful in contact with skin, Causes serious eye irritation, Very toxic to aquatic life, Toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Picoxystrobin TC	CAS-No.: 117428-22-5	≥ 20 – < 25	Acute Tox. Not classified (Oral) Acute Tox. 5 (Dermal), H313 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319 STOT RE Not classified Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
Humectant	CAS-No.: 56-81-5	≥ 1 – < 5	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Acute Tox. 3 (Inhalation:vapour), H331 Aquatic Acute Not classified
Sodium lignosulfonate	CAS-No.: 8061-51-6	≥ 1 – < 5	Acute Tox. Not classified (Oral) Eye Irrit. 2A, H319 Aquatic Acute Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

: Wash skin with plenty of water. Take off contaminated clothing.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

First-aid measures after ingestion : Ingestion: Seek medical attention immediately. Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If alert, rinse mouth with plenty of water.
Do not induce vomiting. Do not give anything by mouth. Obtain medical attention. If the person is alert, rinse mouth thoroughly with water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Harmful in contact with skin.
Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide.
Unsuitable extinguishing media : Water spray as a fog can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Do not use direct jet of water. Contain water used for fire-fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Expected to release oxides of Nitrogen and carbon if heated.

5.3. Advice for firefighters

Firefighting instructions : Remove spectators from surrounding area. Remove container from fire area if possible. Contain fire control agents for later disposal. Use a recommended extinguishing agent for the type of surrounding fire. Avoid inhaling hazardous vapours and fumes from burning materials. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Keep upwind. Avoid inhaling hazardous vapours and fume from burning materials. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Collect contaminated fire extinguishing water separately. This must be discharged into drains, must be disposed of in accordance with local regulations.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Personal protection (Emergency response) : Face-shield, Protective clothing, Protective goggles, Wear respiratory protection



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

6.2. Environmental precautions

Use appropriate container to avoid environmental contamination. Do not allow entering drains or watercourses. Spillage or uncontrolled discharges into water courses (or public waters) to be reported immediately to the Police and to the Department of Water/Environmental Affairs. If the spill is porous, the contaminated material must be collected for subsequent treatment or disposal.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Collect spillage. |
| Methods for cleaning up | : Remove all sources of flames and sparks. For small liquid spills, contain spilled product by diking area with sand, earth or vermiculite. For large liquid spills, should be diked with absorbent material and pumped into containers for disposal. In situations where product comes in contact with water, contain contaminated water for later disposal. Do not flush spilled material into drains. Keep spectators away. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|--|
| Precautions for safe handling | : Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. |
| Technical measures | : Harmful by skin or eye contact, inhalation or ingestion. Avoid contact with eyes and skin, and inhalation of spray and vapour. Use with adequate ventilation. Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Operators should change and wash clothing daily. Remove clothing immediately if the insecticide gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean equipment must be disposed of correctly to avoid contamination. |
| Hygiene measures | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|------------------------------|---|
| Storage conditions | : Store in a well-ventilated place. Keep cool. |
| Storage area | : Keep container tightly closed. Keep only in the original container. Store out of reach of unauthorised persons, children and animals. |
| Heat and ignition sources | : KEEP SUBSTANCE AWAY FROM: Sources of sparks, flame or heat. |
| Information on mixed storage | : KEEP SUBSTANCE AWAY FROM: Water supplies. Food supplies. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Humectant (56-81-5)

South Africa - Occupational Exposure Limits (Airborne Pollutants)

Local name	Glycerol
OEL TWA	10 mg/m ³ mist
Regulatory reference	Government Notice No. R 904

8.2. Appropriate engineering controls

- | | |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. |
| Environmental exposure controls | : Avoid release to the environment. |

8.3. Individual protection measures, such as personal protective equipment (PPE)

- | | |
|--------------------------|--|
| Hand protection | : Protective gloves |
| Eye protection | : Safety glasses |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : In case of insufficient ventilation, wear suitable respiratory equipment |

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Suspension.
Colour	: Off white.
Odour	: No data available
Odour threshold	: No data available
pH	: 5 – 8
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not flammable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.1
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: Suspends in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : May be harmful in contact with skin.
Acute toxicity (inhalation) : Toxic if inhaled.

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l) (117428-22-5)	
ATE ZA (Dermal)	3121.097 mg/kg bodyweight
ATE ZA (vapours)	7.926 mg/l/4h
Unknown acute toxicity (GHS ZA)Unknown acute toxicity (GHS ZA)	26.9% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 72.01% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 72.01% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))
Picoxystrobin TC (117428-22-5)	
LD ₅₀ oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
LD ₅₀ oral	> 5000 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
LD ₅₀ dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LD ₅₀ dermal	> 2000 mg/kg
Sodium lignosulfonate (8061-51-6)	
LD ₅₀ oral	6030 mg/kg Mouse
Xanthan gum (11138-66-2)	
LD ₅₀ oral rat	45000 mg/kg
Humectant (56-81-5)	
LD ₅₀ oral rat	27200 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Female, Experimental value, Oral, 10 day(s))
LD ₅₀ dermal	56750 mg/kg (4 day(s), Guinea pig, Male / female, Experimental value, Dermal, 14 day(s))
LC ₅₀ Inhalation - Rat	> 2.75 mg/l (4 h, Rat, Male, Experimental value, Converted value, Inhalation (vapours))
Water (7732-18-5)	
LD ₅₀ oral rat	90000 mg/kg

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Skin corrosion/irritation	: Slightly irritating pH: 5 – 8
Serious eye damage/irritation	: Slight eye irritant pH: 5 – 8
Respiratory or skin sensitisation	: Not a skin sensitizer
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Picoxystrobin TC (117428-22-5)

NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
-------------------------------------	---

Aspiration hazard	: Not classified
-------------------	------------------

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Picoxystrobin TC (117428-22-5)

LC ₅₀ - Fish [1]	65 – 75 µg/l
EC ₅₀ - Crustacea [1]	24 µg/l Test organisms (species): Daphnia magna
EC ₅₀ - Crustacea [2]	18 µg/l
Partition coefficient n-octanol/water (Log Kow)	3.6
Additional ecotoxicological information	Birds: LD ₅₀ for bobwhite quail >2250 mg/kg. Dietary LD ₅₀ (8d) for bobwhite quail > 5200 mg/kg. NOEC (21w) for mallard ducks 1350 mg/kg. Bees (LD ₅₀ , mg/bee) >200 (oral and contact) (48h). Worms: LD ₅₀ (14d) for Eisenia foetida 6.7 mg/kg soil.

Sodium lignosulfonate (8061-51-6)

LC ₅₀ - Fish [1]	7300 mg/l Source: ECOTOX
Partition coefficient n-octanol/water (Log Pow)	-3.45 Source: National Institute of Technology and Evaluation

Xanthan gum (11138-66-2)

LC ₅₀ - Fish [1]	420 mg/l Source: ECOTOX
-----------------------------	-------------------------

Humectant (56-81-5)

LC ₅₀ - Fish [1]	54000 mg/l (96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)
EC ₅₀ - Crustacea [1]	> 10000 mg/l (24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
Partition coefficient n-octanol/water (Log Pow)	-1.75 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, Calculated value)

Water (7732-18-5)

Partition coefficient n-octanol/water (Log Pow)	-1.38
---	-------

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

12.2. Persistence and degradability

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l) (117428-22-5)	
Persistence and degradability	No additional information available
Picoxystrobin TC (117428-22-5)	
Persistence and degradability	Rapidly degraded in soils, with CO ₂ as the major product; lab DT ₅₀ (aerobic) 19-33 d; field dissipation DT ₅₀ 3-35 d. Not mobile in soil under field conditions.
magnesium aluminium silicate (12511-31-8)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Humectant (56-81-5)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.87 g O ₂ /g substance
Chemical oxygen demand (COD)	1.16 g O ₂ /g substance
ThOD	1.217 g O ₂ /g substance

12.3. Bioaccumulative potential

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l) (117428-22-5)	
Bioaccumulative potential	No additional information available
Picoxystrobin TC (117428-22-5)	
Partition coefficient n-octanol/water (Log Kow)	3.6
Sodium lignosulfonate (8061-51-6)	
Partition coefficient n-octanol/water (Log Pow)	-3.45 Source: National Institute of Technology and Evaluation
magnesium aluminium silicate (12511-31-8)	
Bioaccumulative potential	No bioaccumulation data available.
Humectant (56-81-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.75 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Not bioaccumulative.
Water (7732-18-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.38

12.4. Mobility in soil

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l) (117428-22-5)	
Mobility in soil	No additional information available
Picoxystrobin TC (117428-22-5)	
Partition coefficient n-octanol/water (Log Kow)	3.6
Sodium lignosulfonate (8061-51-6)	
Partition coefficient n-octanol/water (Log Pow)	-3.45 Source: National Institute of Technology and Evaluation

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Humectant (56-81-5)

Surface tension	63.4 mN/m (20 °C, 1000 g/l)
Partition coefficient n-octanol/water (Log Pow)	-1.75 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

Water (7732-18-5)

Partition coefficient n-octanol/water (Log Pow)	-1.38
---	-------

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available




SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
3082	3082	3082
14.2. Proper Shipping Name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains picoxystrobin 250 g/l)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains picoxystrobin 250 g/l)	Environmentally hazardous substance, liquid, n.o.s. (contains picoxystrobin 250 g/l)
14.3. Transport hazard class(es)		
9	9	9
		
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

14.6. Special precautions for user

SANS

Special provisions (SANS)	: 179, 274, 331, 335
Limited quantities (SANS)	: 5 L
Limited quantities (SANS)	: 5 L
Packagings, large packagings and IBCs Packing instructions (SANS)	: P001, IBC03, LP01

FarmAg Picoxy 250 SC (Picoxystrobin 250 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Packagings, large packagings and IBCs Special packing instructions (SANS) : PP1
Portable tank and bulk containers instructions (SANS) : T4
Portable tank and bulk container special provisions (SANS) : TP1, TP29

IMDG

Special provisions (IMDG) : 274, 335, 969
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP01, P001
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29
EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG) : A

IATA

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L
Special provisions (IATA) : A97, A158, A197, A215
ERG code (IATA) : 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date : 31/08/2022

Full text of H-statements

H313	May be harmful in contact with skin
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.