

SECTION 1: Identification

1.1. Product identifier

Product form	: Mixture
Trade name	: Prosulfomax 800 SC (prosulfocarb 800 g/l)
Type of product	: Herbicide
CAS-No.	: 52888-80-9
Product group	: End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: An emulsifiable concentrate herbicide for pre- or post-plant soil application to control herbicide resistant annual Ryegrass in wheat and barley.
------------------------------	---

1.3. Supplier's details

Supplier

Farm-Ag International (Pty) Ltd
Old Mill Industrial Park
61, Marshall Drive
P.O. Box 1523
4300 Mount Edgecombe – Durban KwaZulu Natal
South Africa
T 031 003 3486

1.4. Emergency telephone number

Emergency number	: 24 Hr Emergency Number: In case of Poisoning: Poison Information Helpline : 0861 555 777
	In case of Spillage: HAZMAT:0800 147 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 5	H313
Acute toxicity (inhalation:vapour) Category 3	H331
Skin corrosion/irritation, Category 3	H316
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Repeated exposure, Category 2	H373
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)	: 
Signal word (GHS-ZA)	: Danger

Prosulfomax 800 SC (prosulfocarb 800 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Hazardous ingredients	: Prosulfocarb 97% TC, Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether, Calcium dodecylbenzenesulfonate, Solvent Naphtha
Hazard statements (GHS ZA)	: H302 - Harmful if swallowed. H313 - May be harmful in contact with skin H316 - Causes mild skin irritation H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H331 - Toxic if inhaled. H373 - May cause damage to organs through prolonged or repeated exposure. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (GHS ZA)	: P260 - Do not breathe vapours, spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor. P314 - Get medical advice/attention if you feel unwell. P330 - Rinse mouth. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P391 - Collect spillage. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of container to an approved waste disposal plant.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects	: May cause damage to organs through prolonged or repeated exposure, Toxic if inhaled, Harmful if swallowed, Harmful in contact with skin, Causes mild skin irritation, May cause an allergic skin reaction, Causes serious eye damage, Very toxic to aquatic life with long lasting effects.
---	---

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Prosulfocarb 97% TC	CAS-No.: 52888-80-9	≥ 75 – < 80	Flam. Liq. Not classified Acute Tox. 4 (Oral), H302 Acute Tox. 5 (Dermal), H313 Acute Tox. 3 (Inhalation:vapour), H331 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Prosulfomax 800 SC (prosulfocarb 800 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
Solvent Naphtha	CAS-No.: 64742-94-5	≥ 10 – < 15	Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) Acute Tox. 5 (Dermal), H313 Eye Irrit. 2A, H319 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Calcium dodecylbenzenesulfonate	CAS-No.: 26264-06-2	≥ 5 – < 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 4, H413
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether	CAS-No.: 166736-08-9	≥ 1 – < 5	Flam. Liq. Not classified Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 3, H402

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Immediately remove source of contamination or move victim to fresh air. If breathing has stopped, perform artificial respiration and administer oxygen. Do not give mouth-to-mouth resuscitation if victim ingested or inhaled the substance. Keep person warm and at rest.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: The product may be a mild cholinesterase inhibitor. Symptoms may include dry skin, skin cracking, irritation to eyes and skin, drowsiness and dizziness.
Symptoms/effects after inhalation	: Toxic if inhaled.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Water spray as a fog can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Do not use direct jet of water. Contain water used for fire-fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Decomposes in fire, and generates dense black smoke containing hazardous products of combustion. Exposure to these decomposition products may be a health hazard.
--	---

Prosulfomax 800 SC (prosulfocarb 800 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

5.3. Advice for firefighters

- Firefighting instructions : Remove spectators from surrounding area. Remove container from fire area if possible without risk. Eliminate all ignition sources in immediate area. Fight fire from maximum distance. For massive fire, use unmanned hose holder or monitor nozzles. Contain fire control agents for later disposal. Use a recommended extinguishing agent for the type of surrounding fire. Avoid inhaling hazardous vapours. Keep upwind.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Personal protection (Emergency response) : Wear respiratory protection, Wear protective gloves, Wear protective clothing, Wear eye protection, Wear a face shield



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Do not breathe vapours, spray. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not allow entering drains or watercourses. Spillage or uncontrolled discharges into water courses (or public waters) to be reported immediately to the Police and to the Department of Water/Environmental Affairs.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : For small liquid spills, soak up with lime, damp earth or sand, or other non-combustible absorbent material and place into containers for later disposal. For large liquid spills, contain the liquid for later disposal. In situations where product comes in contact with water, contain contaminated water for later disposal. Do not flush spilled material into drains. Keep spectators away.
- Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Do not breathe vapours, spray. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
- Storage area : Keep only in the original container. Store in a dry area. Store out of reach of unauthorised persons, children and animals.
- Incompatible products : Alkaline substances. Oxidizing agent. Strong acids.
- Information on mixed storage : KEEP SUBSTANCE AWAY FROM: Food supplies. Water supplies.
- Maximum storage period : 2 Years

Prosulfomax 800 SC (prosulfocarb 800 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : No data available
Colour : Light yellow.
Odour : Characteristic odour.
Odour threshold : No data available
pH : 6.8
pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available
Relative evaporation rate (ether=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Vapour pressure at 50 °C : No data available
Relative vapour density at 20 °C : No data available
Relative density : 1.02
Relative density of saturated gas/air mixture : No data available
Density : No data available
Relative gas density : No data available
Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Partition coefficient n-octanol/water (Log Kow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

Prosulfomax 800 SC (prosulfocarb 800 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Lower explosion limit : No data available
Upper explosion limit : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : May be harmful in contact with skin.
Acute toxicity (inhalation) : Toxic if inhaled.

Prosulfomax 800 SC (prosulfocarb 800 g/l) (52888-80-9)

ATE ZA (oral)	1416.04 mg/kg bodyweight
ATE ZA (Dermal)	2744.84 mg/kg bodyweight
ATE ZA (vapours)	3 mg/l/4h
Unknown acute toxicity (GHS ZA)Unknown acute toxicity (GHS ZA)	12.65% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 8.92% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 21.57% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))

Prosulfocarb 97% TC (52888-80-9)

LD50 oral rat	1820 mg/kg Male
LD50 oral	1960 mg/kg Female
LD50 dermal rabbit	> 2000
LC50 Inhalation - Rat	> 4.7 mg/l

Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether (166736-08-9)

LD50 oral rat	> 2000 mg/kg
---------------	--------------

Prosulfomax 800 SC (prosulfocarb 800 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Calcium dodecylbenzenesulfonate (26264-06-2)

LD50 oral rat	465 mg/kg
---------------	-----------

Solvent Naphtha (64742-94-5)

LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), Remarks on results: other:
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Remarks on results: other:

Skin corrosion/irritation	: Causes mild skin irritation. pH: 6.8
Serious eye damage/irritation	: Causes serious eye damage. pH: 6.8
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.

Solvent Naphtha (64742-94-5)

LOAEL (oral, rat, 90 days)	1250 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
LOAEL (dermal, rat/rabbit, 90 days)	200 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
LOAEC (inhalation, rat, vapour, 90 days)	4.71 mg/l air Animal: rat, Guideline: EU Method B.29 (Sub-Chronic Inhalation Toxicity:90-Day Study)
NOAEL (oral, rat, 90 days)	625 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	2000 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
NOAEC (inhalation, rat, vapour, 90 days)	2355 mg/l air Animal: rat, Guideline: EU Method B.29 (Sub-Chronic Inhalation Toxicity:90-Day Study)
	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
-------------------	------------------

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Very toxic to aquatic life with long lasting effects.

Prosulfocarb 97% TC (52888-80-9)

LC50 - Fish [1]	4.2 mg/l Bluegill sunfish
LC50 - Fish [2]	1.7 mg/l Rainbow trout
LC50 - Other aquatic organisms [1]	0.5 mg/l Daphnia
EC50 72h - Algae [1]	0.11 mg/l Scenedesmus subspicatus
BCF - Fish [1]	700 mg/l (Pisces)
Partition coefficient n-octanol/water (Log Kow)	4.48

Prosulfomax 800 SC (prosulfocarb 800 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Prosulfocarb 97% TC (52888-80-9)

Additional ecotoxicological information	Birds: Acute oral LD50 for bobwhite quail >2250 mg/kg. Dietary LC50 for mallard ducks >1960 mg/kg diet. Bees: (LD50, ug/bee) 213 (oral) (48h); >79 (contact) (48h). Worms: LC50 for earthworms 144 mg/kg soil.
---	---

Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether (166736-08-9)

LC50 - Fish [1]	10 – 100 mg/l <i>Brachydanio rerio</i>
EC50 - Crustacea [1]	10 – 100 mg/l

Calcium dodecylbenzenesulfonate (26264-06-2)

Partition coefficient n-octanol/water (Log Pow)	14.1
---	------

Solvent Naphtha (64742-94-5)

LC50 - Fish [1]	8.41 mg/l Test organisms (species): <i>Oncorhynchus mykiss</i> (previous name: <i>Salmo gairdneri</i>)
EC50 - Crustacea [1]	4.7 mg/l Test organisms (species): <i>Daphnia magna</i>
EC50 72h - Algae [1]	12.4 mg/l Test organisms (species): <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)
EC50 72h - Algae [2]	18.9 mg/l Test organisms (species): <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)

12.2. Persistence and degradability

Prosulfomax 800 SC (prosulfocarb 800 g/l) (52888-80-9)

Persistence and degradability	No additional information available
-------------------------------	-------------------------------------

Prosulfocarb 97% TC (52888-80-9)

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------

12.3. Bioaccumulative potential

Prosulfomax 800 SC (prosulfocarb 800 g/l) (52888-80-9)

Bioaccumulative potential	No additional information available
---------------------------	-------------------------------------

Prosulfocarb 97% TC (52888-80-9)

BCF - Fish [1]	700 mg/l (Pisces)
Partition coefficient n-octanol/water (Log Kow)	4.48

Calcium dodecylbenzenesulfonate (26264-06-2)

Partition coefficient n-octanol/water (Log Pow)	14.1
---	------

12.4. Mobility in soil

Prosulfomax 800 SC (prosulfocarb 800 g/l) (52888-80-9)

Mobility in soil	No additional information available
------------------	-------------------------------------

Prosulfocarb 97% TC (52888-80-9)

Partition coefficient n-octanol/water (Log Kow)	4.48
---	------

Calcium dodecylbenzenesulfonate (26264-06-2)

Partition coefficient n-octanol/water (Log Pow)	14.1
---	------

12.5. Other adverse effects

Ozone : Not classified

Prosulfomax 800 SC (prosulfocarb 800 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Other adverse effects : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
3082	3082	3082
14.2. Proper Shipping Name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains prosulfocarb 800 g/l)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains prosulfocarb 800 g/l)	Environmentally hazardous substance, liquid, n.o.s. (contains prosulfocarb 800 g/l)
14.3. Transport hazard class(es)		
9	9	9
		
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

14.6. Special precautions for user

SANS

Special provisions (SANS) : 179, 274, 331, 335
Limited quantities (SANS) : 5 L
Limited quantities (SANS) : 5 L
Packagings, large packagings and IBCs Packing instructions (SANS) : P001, IBC03, LP01
Packagings, large packagings and IBCs Special packing instructions (SANS) : PP1
Portable tank and bulk containers instructions (SANS) : T4
Portable tank and bulk container special provisions (SANS) : TP1, TP29

IMDG

Special provisions (IMDG) : 274, 335, 969
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP01, P001
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4

Prosulfomax 800 SC (prosulfocarb 800 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date : 27/09/2022

Full text of H-statements

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.