

# Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010  
Issue date: 9/8/2022 Version: 1.0

### SECTION 1: Identification

#### 1.1. Product identifier

Product form	: Mixture
Trade name	: Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)
Type of product	: Fungicide
CAS-No.	: [178928-70-6] [107534-96-3]
Product group	: End product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: A systemic fungicide formulated as an emulsifiable concentrate for the control of the relevant diseases on the crops as listed under use instructions.
------------------------------	--

#### 1.3. Supplier's details

##### Supplier

Farm-Ag International (Pty) Ltd  
Old Mill Industrial Park  
61, Marshall Drive  
P.O. Box 1523  
4300 Mount Edgecombe – Durban KwaZulu Natal  
South Africa  
T 031 003 3486

#### 1.4. Emergency telephone number

Emergency number	: 24 Hr Emergency Number: In case of Poisoning: Poison Information Helpline : 0861 555 777
	In case of Spillage: HAZMAT:0800 147 112

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to the United Nations GHS

Flammable liquids, Category 4	H227
Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 5	H313
Skin corrosion/irritation, Category 3	H316
Serious eye damage/eye irritation, Category 2A	H319
Reproductive toxicity, Category 2	H361
Specific target organ toxicity – Repeated exposure, Category 2	H373
Hazardous to the aquatic environment – Acute Hazard, Category 2	H401
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H-statements: see section 16	

#### 2.2. Label elements

##### Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)



# Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Signal word (GHS-ZA)	: Warning
Hazardous ingredients	: Prothioconazole 98.7% TC, Tebuconazole 98% TC, calcium dodecylbenzenesulphonate
Hazard statements (GHS ZA)	: H227 - Combustible liquid H302 - Harmful if swallowed. H313 - May be harmful in contact with skin H316 - Causes mild skin irritation H319 - Causes serious eye irritation. H361 - Suspected of damaging fertility or the unborn child. H373 - May cause damage to organs through prolonged or repeated exposure. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (GHS ZA)	: P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read label before use. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment. P280 - Wear protective clothing, eye protection, face protection, protective gloves. P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER or doctor if you feel unwell. P314 - Get medical advice/attention if you feel unwell. P330 - Rinse mouth. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use carbon dioxide (CO <sub>2</sub> ), dry extinguishing powder, foam to extinguish. P391 - Collect spillage. P403 - Store in a well-ventilated place. P405 - Store locked up. P501 - Dispose of contents and container to an approved waste disposal plant.

### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects	: Suspected of damaging fertility or the unborn child, May cause damage to organs through prolonged or repeated exposure, Harmful in contact with skin, Harmful if swallowed, Causes mild skin irritation, Causes serious eye irritation, Toxic to aquatic life, Toxic to aquatic life with long lasting effects.
---	---

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Prothioconazole 98.7% TC	CAS-No.: 178928-70-6	≥ 10 – < 15	Acute Tox. Not classified (Oral) Acute Tox. 5 (Dermal), H313 Acute Tox. 4 (Inhalation: dust, mist), H332 Aquatic Acute 2, H401 Aquatic Chronic 1, H410

# Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
Tebuconazole 98% TC	CAS-No.: 107534-96-3	≥ 10 – < 15	Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) Acute Tox. 2 (Inhalation:dust,mist), H330 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 1, H410
Tristyrylphenol Ethoxylates	CAS-No.: 99734-09-5	≥ 5 – < 10	Aquatic Chronic 2, H411
calcium dodecylbenzenesulphonate	CAS-No.: 26264-06-2	≥ 1 – < 5	Acute Tox. 4 (Oral), H302 Acute Tox. 5 (Dermal), H313 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 2, H401 Aquatic Chronic 4, H413

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Immediately remove source of contamination or move victim to fresh air. If breathing has stopped, perform artificial respiration and administer oxygen. Do not give mouth-to-mouth resuscitation if victim ingested or inhaled the substance. Keep person warm and at rest. Treat symptomatically and supportively as and when required. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Never induce vomiting or give anything to drink to an unconscious person. If the person is alert, rinse mouth thoroughly with water and give one or two glasses of water to drink.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

No specific antidote available. Treat symptomatically and supportively. In case of ingestion gastric lavage should be considered in cases of significant ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Combustible liquid.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

# Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 5.3. Advice for firefighters

- Firefighting instructions : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Personal protection (Emergency response) : Wear respiratory protection, Wear protective gloves, Wear protective clothing, Wear eye protection, Gloves, Face-shield



## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothing.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
- Other information : Dispose of materials or solid residues at an authorized site.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.
- Storage area : Store out of reach of unauthorised persons, children and animals.
- Information on mixed storage : KEEP SUBSTANCE AWAY FROM: Water supplies. Food supplies.
- Maximum storage period : 2 year

# Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves  
Eye protection : Safety glasses  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



#### 8.4. Exposure limit values for the other components

No additional information available

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Liquid.  
Colour : Light brown.  
Odour : No data available  
Odour threshold : No data available  
pH : No data available  
pH solution : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Relative evaporation rate (ether=1) : No data available  
Melting point : Not applicable  
Freezing point : No data available  
Boiling point : No data available  
Flash point : 71.5 °C  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : Flammable  
Vapour pressure : No data available  
Vapour pressure at 50 °C : No data available  
Relative vapour density at 20 °C : No data available  
Relative density : 1.029  
Relative density of saturated gas/air mixture : No data available  
Density : No data available  
Relative gas density : No data available  
Solubility : No data available  
Partition coefficient n-octanol/water (Log Pow) : No data available  
Partition coefficient n-octanol/water (Log Kow) : No data available  
Viscosity, kinematic : No data available  
Viscosity, dynamic : No data available  
Explosive properties : No data available  
Oxidising properties : No data available  
Explosive limits : No data available

# Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Lower explosion limit : No data available  
Upper explosion limit : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : May be harmful in contact with skin.  
Acute toxicity (inhalation) : Not classified

#### Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l) ([178928-70-6] [107534-96-3])

ATE ZA (oral)	1630.907 mg/kg bodyweight
ATE ZA (Dermal)	2500 mg/kg bodyweight
Unknown acute toxicity (GHS ZA)Unknown acute toxicity (GHS ZA)	85.91% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 85.91% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 100% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))

#### Prothioconazole 98.7% TC (178928-70-6)

LD50 oral rat	> 6200 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 4.99 mg/l/4h

#### Tebuconazole 98% TC (107534-96-3)

LD50 oral rat	1700 mg/kg Female Rat
LD50 oral	4000 mg/kg Male rat
LD50 dermal rat	> 5000 mg/kg (Rat, Experimental value, Dermal)
LC50 Inhalation - Rat	> 0.37 mg/l (4 h, Rat, Experimental value, Inhalation)

# Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### calcium dodecylbenzenesulphonate (26264-06-2)

LD50 oral rat	1300 mg/kg bodyweight Animal: rat, Guideline: other:
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:

Skin corrosion/irritation : Slightly irritating  
Serious eye damage/irritation : Severely irritating to eyes. Risk of serious eye damage

### calcium dodecylbenzenesulphonate (26264-06-2)

Additional information	100 mg/24 h Moderate
Respiratory or skin sensitisation	: Not a skin sensitizer
Germ cell mutagenicity	: Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests. Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.
Carcinogenicity	: Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice. Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. N,N-Dimethyldecanamide is not considered carcinogenic.
Reproductive toxicity	: Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity. Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity. N,N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Prothioconazole did not cause specific target organ toxicity in experimental animal studies. Tebuconazole did not cause specific target organ toxicity in experimental animal studies. N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.

### calcium dodecylbenzenesulphonate (26264-06-2)

LOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
LOAEL (dermal, rat/rabbit, 90 days)	286 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (dermal, rat/rabbit, 90 days)	< 286 mg/kg bodyweight Animal: rat, Animal sex: male
	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life. Toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Toxic to aquatic life.  
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

### Prothioconazole 98.7% TC (178928-70-6)

LC50 - Fish [1]	1.83 mg/l
ErC50 algae	2.18 mg/l

# Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### Prothioconazole 98.7% TC (178928-70-6)

Partition coefficient n-octanol/water (Log Kow)	2 (pH 9)
Additional ecotoxicological information	Birds: Acute oral LD50 for bobwhite quail > 2000 mg/k. Dietary LC50 (5d) for bobwhite quail >5000 mg/kg diet. Bees (LD50, mg/bee) >71 (oral); >200 (contact). Worms: LC50 (14d) for earthworms > 1000 mg/kg dry soil.

### Tebuconazole 98% TC (107534-96-3)

LC50 - Fish [1]	4.4 mg/l (US EPA, 96 h, Salmo gairdneri, Flow-through system, Experimental value)
LC50 - Fish [2]	5.7 mg/l Bluegill sunfish
EC50 - Crustacea [1]	2.79 mg/l
ErC50 algae	3.8 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Scenedesmus subspicatus, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	3.7 (Literature study)
Additional ecotoxicological information	Birds: Acute oral LD50 for male Japanese quail 4438, female Japanese quail 2912, bobwhite quail 1988 mg/kg b.w. Dietary LC50 (5d) for mallard ducks >4816, bobwhite quail >5000 mg/kg feed. Bees (LD50,mg/bee):> 200 (contact); >83 (oral) (48h). Worms: Acute LC50 (14d) 1381 mg/kg dry soil.

### calcium dodecylbenzenesulphonate (26264-06-2)

LC50 - Fish [1]	1.74 mg/l Test organisms (species): other:
NOEC (chronic)	0.253 mg/l Test organisms (species): other: Duration: '30 d'
NOEC chronic fish	0.23 mg/l Test organisms (species): other: Duration: '30 d'

## 12.2. Persistence and degradability

### Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l) ([178928-70-6] [107534-96-3])

Persistence and degradability	No additional information available
-------------------------------	-------------------------------------

### Prothioconazole 98.7% TC (178928-70-6)

Persistence and degradability	Biodegradable in the soil.
-------------------------------	----------------------------

### Tebuconazole 98% TC (107534-96-3)

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------

## 12.3. Bioaccumulative potential

### Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l) ([178928-70-6] [107534-96-3])

Bioaccumulative potential	No additional information available
---------------------------	-------------------------------------

### Prothioconazole 98.7% TC (178928-70-6)

Partition coefficient n-octanol/water (Log Kow)	2 (pH 9)
---	----------

### Tebuconazole 98% TC (107534-96-3)

Partition coefficient n-octanol/water (Log Pow)	3.7 (Literature study)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

## 12.4. Mobility in soil

### Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l) ([178928-70-6] [107534-96-3])

Mobility in soil	No additional information available
------------------	-------------------------------------

### Prothioconazole 98.7% TC (178928-70-6)

Partition coefficient n-octanol/water (Log Kow)	2 (pH 9)
---	----------



# Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### Tebuconazole 98% TC (107534-96-3)

Surface tension	64.2 mN/m (28.8 mg/l)
Partition coefficient n-octanol/water (Log Pow)	3.7 (Literature study)
Ecology - soil	No (test) data on mobility of the substance available. Not toxic to bees.

### 12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available




## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

## SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
<b>14.1. UN number</b>		
3082	3082	3082
<b>14.2. Proper Shipping Name</b>		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains prothioconazole 125 g/l + tebuconazole 125 g/l)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains prothioconazole 125 g/l + tebuconazole 125 g/l)	Environmentally hazardous substance, liquid, n.o.s. (contains prothioconazole 125 g/l + tebuconazole 125 g/l)
<b>14.3. Transport hazard class(es)</b>		
9	9	9
		
<b>14.4. Packing group</b>		
III	III	III
<b>14.5. Environmental hazards</b>		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

### 14.6. Special precautions for user

#### SANS

Special provisions (SANS)	: 179, 274, 331, 335
Limited quantities (SANS)	: 5 L
Limited quantities (SANS)	: 5 L
Packagings, large packagings and IBCs Packing instructions (SANS)	: P001, IBC03, LP01
Packagings, large packagings and IBCs Special packing instructions (SANS)	: PP1
Portable tank and bulk containers instructions (SANS)	: T4

# Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Portable tank and bulk container special provisions : TP1, TP29  
(SANS)

### IMDG

Special provisions (IMDG) : 274, 335, 969  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : LP01, P001  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP1, TP29  
EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE  
EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS  
Stowage category (IMDG) : A

### IATA

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provisions (IATA) : A97, A158, A197, A215  
ERG code (IATA) : 9L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

## SECTION 16: Other information

Issue date : 08/09/2022

### Full text of H-statements

H227	Combustible liquid
H302	Harmful if swallowed.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H316	Causes mild skin irritation
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H401	Toxic to aquatic life

# Proteb 250 EC (Prothioconazole 125 g/l + Tebuconazole 125 g/l)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### Full text of H-statements

H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.