

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 8/31/2022 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form	: Mixture
Trade name	: S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)
Type of product	: Herbicide
CAS-No.	: [87392-12-9] [98730-04-2]
Product group	: End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: A pre-emergence herbicide formulated as an emulsifiable concentrate with benoxacor for the control of most annual grasses and certain broad-leaved weeds
------------------------------	--

1.3. Supplier's details

Supplier

Farm-Ag International (Pty) Ltd
Old Mill Industrial Park
61, Marshall Drive
P.O. Box 1523
4300 Mount Edgecombe – Durban KwaZulu Natal
South Africa
T 031 003 3486

1.4. Emergency telephone number

Emergency number	: 24 Hr Emergency Number: In case of Poisoning: Poison Information Helpline : 0861 555 777
	In case of Spillage: HAZMAT:0800 147 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Acute toxicity (oral), Category 5	H303
Acute toxicity (dermal), Category 5	H313
Acute toxicity (inhalation:vapour) Category 3	H331
Skin corrosion/irritation, Category 3	H316
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Repeated exposure, Category 2	H373
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Full text of H-statements: see section 16	

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)



S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Signal word (GHS-ZA)	: Danger
Hazardous ingredients	: S-Metolachlor 95% TC, calcium dodecylbenzenesulphonate, Benoxacor, Solvent Naphtha
Hazard statements (GHS ZA)	: H303 - May be harmful if swallowed H313 - May be harmful in contact with skin H316 - Causes mild skin irritation H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H331 - Toxic if inhaled. H373 - May cause damage to organs through prolonged or repeated exposure. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (GHS ZA)	: P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read label before use. P260 - Do not breathe vapours. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor. P312 - Call a doctor if you feel unwell. P314 - Get medical advice/attention if you feel unwell. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P391 - Collect spillage. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects	: May cause damage to organs through prolonged or repeated exposure,Harmful if inhaled,Harmful if swallowed,Harmful in contact with skin,Causes mild skin irritation,May cause an allergic skin reaction,Causes serious eye damage,Very toxic to aquatic life with long lasting effects.
---	--

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
S-Metolachlor 95% TC	CAS-No.: 87392-12-9	≥ 80 – < 85	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Acute Tox. 3 (Inhalation:vapour), H331 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
Solvent Naphtha	CAS-No.: 64742-94-5	≥ 5 – < 10	Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) Acute Tox. 5 (Dermal), H313 Eye Irrit. 2A, H319 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Tristyrylphenol Ethoxylates	CAS-No.: 99734-09-5	≥ 1 – < 5	Aquatic Chronic 2, H411
calcium dodecylbenzenesulphonate	CAS-No.: 26264-06-2	≥ 1 – < 5	Acute Tox. 4 (Oral), H302 Acute Tox. 5 (Dermal), H313 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 2, H401 Aquatic Chronic 4, H413
Benoxacor	-	≥ 1 – < 5	Acute Tox. Not classified (Oral) Acute Tox. 5 (Dermal), H313 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment.
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Clear yellow to brownish liquid.
Odour	: Aromatic odour.
Odour threshold	: No data available
pH	: 4.1
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not flammable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: 1.15 g/cm ³
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : May be harmful if swallowed.
Acute toxicity (dermal) : May be harmful in contact with skin.
Acute toxicity (inhalation) : Toxic if inhaled.

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l) ([87392-12-9] [98730-04-2])	
ATE ZA (oral)	2549.958 mg/kg bodyweight
ATE ZA (Dermal)	2602.811 mg/kg bodyweight
ATE ZA (vapours)	3 mg/l/4h
Unknown acute toxicity (GHS ZA)Unknown acute toxicity (GHS ZA)	14% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 3.95% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 17.9% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))

S-Metolachlor 95% TC (87392-12-9)	
LD ₅₀ oral rat	2672 mg/kg
LD ₅₀ dermal rabbit	> 2000 mg/kg
LC ₅₀ Inhalation - Rat	> 2.91 mg/l (4 h)

calcium dodecylbenzenesulphonate (26264-06-2)	
LD ₅₀ oral rat	1300 mg/kg bodyweight Animal: rat, Guideline: other:
LD ₅₀ dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Benoxacor	
LD ₅₀ oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EPA OPP 81-1 (Acute Oral Toxicity)
LD ₅₀ dermal rabbit	> 2010 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EPA OPP 81-2 (Acute Dermal Toxicity)
LC ₅₀ Inhalation - Rat	> 2 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OPP 81-3 (Acute inhalation toxicity)

Solvent Naphtha (64742-94-5)	
LD ₅₀ oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity)
LD ₅₀ dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity)

Skin corrosion/irritation : Slightly irritating
pH: 4.1
Serious eye damage/irritation : Moderately irritating
pH: 4.1

calcium dodecylbenzenesulphonate (26264-06-2)	
Additional information	100 mg/24 h Moderate

Respiratory or skin sensitisation : Mild skin sensitizer
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

calcium dodecylbenzenesulphonate (26264-06-2)

LOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
LOAEL (dermal, rat/rabbit, 90 days)	286 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (dermal, rat/rabbit, 90 days)	< 286 mg/kg bodyweight Animal: rat, Animal sex: male
	May cause damage to organs through prolonged or repeated exposure.

Solvent Naphtha (64742-94-5)

LOAEL (oral, rat, 90 days)	1250 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
LOAEL (dermal, rat/rabbit, 90 days)	200 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
LOAEC (inhalation, rat, vapour, 90 days)	4.71 mg/l air Animal: rat, Guideline: EU Method B.29 (Sub-Chronic Inhalation Toxicity:90-Day Study)
NOAEL (oral, rat, 90 days)	625 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	2000 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
NOAEC (inhalation, rat, vapour, 90 days)	2355 mg/l air Animal: rat, Guideline: EU Method B.29 (Sub-Chronic Inhalation Toxicity:90-Day Study)
	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

S-Metolachlor 95% TC (87392-12-9)

LC ₅₀ - Fish [1]	1.23 mg/l Rainbow Trout
LC ₅₀ - Fish [2]	3.16 mg/l Bluegill Sunfish
LC ₅₀ - Other aquatic organisms [1]	1.4 mg/l Mysid shrimps
LC ₅₀ - Other aquatic organisms [2]	0.023 mg/l Lemna gibba
EC ₅₀ - Crustacea [1]	11.24 mg/l (48 h)
Partition coefficient n-octanol/water (Log Kow)	3.05 pH 7
Additional ecotoxicological information	Birds: Acute oral LD ₅₀ for bobwhite quail > 2510 mg/kg. Dietary LC ₅₀ (8d) for mallard duck > 5620 ppm. Bees (LD ₅₀ , mg/bee) > 0.2 (contact); >85 (oral); Worms LD ₅₀ (14d) for earthworms 570 mg/kg soil.

calcium dodecylbenzenesulphonate (26264-06-2)

LC ₅₀ - Fish [1]	1.74 mg/l Test organisms (species)
-----------------------------	------------------------------------

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

calcium dodecylbenzenesulphonate (26264-06-2)

NOEC (chronic)	0.253 mg/l Test organisms (species): other: Duration: '30 d'
NOEC chronic fish	0.23 mg/l Test organisms (species): other: Duration: '30 d'

Benoxacor

LC ₅₀ - Fish [1]	1.4 mg/l Test organisms (species): Ictalurus punctatus
LC ₅₀ - Fish [2]	2.4 mg/l Rainbow Trout
EC ₅₀ - Crustacea [1]	17 mg/l Test organisms (species): Daphnia magna
EC ₅₀ - Crustacea [2]	11.5 mg/l Daphnia
EC ₅₀ 72h - Algae [1]	0.63 mg/l Green algae
EC ₅₀ 72h - Algae [2]	39 mg/l Blue algae
Partition coefficient n-octanol/water (Log Kow)	2.6
Additional ecotoxicological information	Birds: Acute oral LD ₅₀ for mallard ducks >2150, bobwhite quail >2000 mg/kg b.w. Bees: (LD ₅₀ , mg/bee) >100 (oral and contact) (48h); Worms: LC ₅₀ (14d) for earthworms >1000 mg/kg

Solvent Naphtha (64742-94-5)

LC ₅₀ - Fish [1]	8.41 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC ₅₀ - Crustacea [1]	4.7 mg/l Test organisms (species): Daphnia magna
EC ₅₀ 72h - Algae [1]	12.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC ₅₀ 72h - Algae [2]	18.9 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l) ([87392-12-9] [98730-04-2])

Persistence and degradability	In the aerobic soil, dissipates rapidly due to microbial activity by degradation to two major metabolites (oxanilic and sulfonic acids), the formation of non-extractable residues (3.5 – 44%) and its mineralisation to CO ₂ (3 – 30 %). Geomean DT ₅₀ (lab, aerobic) 21.2 d (7 – 96 d, (198 soils): Geomean DT ₅₀ (field) 30 d (6 – 49 d, 12 soil sites); DT ₉₀ (field) 36 – 165 d (12 soils). Adsorption (15 soils, PH 3.4 – 8.0 o.c. 0.2 – 19.8).
-------------------------------	---

12.3. Bioaccumulative potential

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l) ([87392-12-9] [98730-04-2])

Bioaccumulative potential	No additional information available
---------------------------	-------------------------------------

S-Metolachlor 95% TC (87392-12-9)

Partition coefficient n-octanol/water (Log Kow)	3.05 pH 7
---	-----------

Benoxacor

Partition coefficient n-octanol/water (Log Kow)	2.6
---	-----

12.4. Mobility in soil

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l) ([87392-12-9] [98730-04-2])

Mobility in soil	No additional information available
------------------	-------------------------------------

S-Metolachlor 95% TC (87392-12-9)

Partition coefficient n-octanol/water (Log Kow)	3.05 pH 7
---	-----------

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Benoxacor

Partition coefficient n-octanol/water (Log Kow) 2.6

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available




SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
3082	3082	3082
14.2. Proper Shipping Name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains S-metolachlor 915 g/l, benoxacor 30.5 g/l)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains S-metolachlor 915 g/l, benoxacor 30.5 g/l)	Environmentally hazardous substance, liquid, n.o.s. (contains S-metolachlor 915 g/l, benoxacor 30.5 g/l)
14.3. Transport hazard class(es)		
9	9	9
		
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

14.6. Special precautions for user

SANS

Special provisions (SANS) : 179, 274, 331, 335
Limited quantities (SANS) : 5 L
Limited quantities (SANS) : 5 L
Packagings, large packagings and IBCs Packing instructions (SANS) : P001, IBC03, LP01
Packagings, large packagings and IBCs Special packing instructions (SANS) : PP1
Portable tank and bulk containers instructions (SANS) : T4
Portable tank and bulk container special provisions (SANS) : TP1, TP29

IMDG

Special provisions (IMDG) : 274, 335, 969

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date : 31/08/2022

Full text of H-statements	
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life

S-Metamax + S 915 EC (S-Metolachlor 915 g/l + Benoxacor 30.5 g/l)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of H-statements

H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.