



Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 8
Issue date: 4/30/2025 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the supplier/undertaking

1.1. GHS product identifier

Product form	: Mixture
Product name	: Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)
Type of product	: Herbicide
CAS-No.	: 335104-84-2
Product group	: End product

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use	: A suspension concentrate post-emergence herbicide for the control of certain broadleaf and grass weeds in maize and sugarcane
-----------------	---

1.4. Supplier's details

Supplier

Farm-Ag International (Pty) Ltd
Old Mill Industrial Park
61, Marshall Drive
P.O. Box 1523
4300 Mount Edgecombe – Durban KwaZulu Natal
South Africa
T 031 003 3486

1.5. Emergency phone number

Emergency number	: 24 Hr Emergency Number: In case of poisoning, call the following number: Poison Information Helpline (24 hrs) 0861 555 777 Emergency Number: Disaster Management Centre Spill Tech 086 100 0366
------------------	---

SECTION 2: Hazard identification

2.1. GHS classification of the substance/mixture and any national or regional information

Classification according to the United Nations GHS

Flammable liquids	Not classified	
Skin corrosion/irritation, Category 3		H316
Skin sensitisation, Category 1		H317
Reproductive toxicity, Category 2		H361
Specific target organ toxicity – Repeated exposure, Category 2		H373
Hazardous to the aquatic environment – Acute Hazard, Category 1		H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1		H410

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects	: Suspected of damaging fertility or the unborn child, May cause damage to organs (eyes, kidneys, liver) through prolonged or repeated exposure, Causes mild skin irritation, May cause an allergic skin reaction, Very toxic to aquatic life with long lasting effects.
---	--

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 8

2.2. GHS label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)



Signal word (GHS-ZA)

: Warning

Hazardous ingredients

: tembotrione; Isoxadifen-ethyl

Hazard statements (GHS ZA)

: H316 - Causes mild skin irritation
H317 - May cause an allergic skin reaction
H361 - Suspected of damaging fertility or the unborn child
H373 - May cause damage to organs (eyes, liver, kidneys) through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (GHS ZA)

: P203 - Obtain, read and follow all safety instructions before use.
P261 - Avoid breathing spray, vapours.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective clothing, eye protection, face protection.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P318 - IF exposed or concerned, get medical advice.
P319 - Get medical help if you feel unwell.
P332+P317 - If skin irritation occurs: Get medical help.
P333+P317 - If skin irritation or rash occurs: Get medical help.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P391 - Collect spillage.
P405 - Store locked up.
P501 - Dispose of container to an approved waste disposal plant.

2.3. Other hazards which do not result in classification or are not covered by the GHS

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to the United Nations GHS
tembotrione	CAS-No.: 335104-84-2	≥ 30 – < 35	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Sens. 1, H317 Repr. 2, H361 STOT RE 2, H373 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
Isoxadifen-ethyl	CAS-No.: 163520-33-0	≥ 15 – < 20	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hydroxyethyl cellulose	CAS-No.: 9004-62-0	≥ 1 – < 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 8

Name	Product identifier	%	Classification according to the United Nations GHS
Fatty alcohol ethoxylate	CAS-No.: 103171-18-2	≥ 1 – < 5	Eye Irrit. 2, H319

SECTION 4: First aid measures

4.1. Description of necessary first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms/effect, acute and delayed

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride Carbon monoxide (CO) nitrogen oxides (NOx).

5.3. Special protective actions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Personal protection (Emergency response)	: Wear eye protection, Wear protective gloves, Wear protective clothing, Wear a face shield



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	---

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 8

6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Do not breathe spray, vapours. Avoid contact with skin and eyes.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities

6.3. Methods and materials for containment and cleaning up

- For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe vapours, spray. Avoid contact with skin and eyes.
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Store locked up.
Storage area : Store in a dry area. Keep out of direct sunlight. Keep only in the original container. Store out of reach of unauthorised persons, children and animals.
Packaging materials : Store always product in container of same material as original container.
Maximum storage period : 2 years

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,2-Propanediol (57-55-6)

South Africa - Occupational Exposure Limits (Restricted Limits)

Local name	Propane-1,2-diol (Propylene glycol)
RHCA - STEL/C	150 ppm vapour + particulates
	470 mg/m ³ vapour + particulates
	10 mg/m ³ particulates
Regulatory reference	Government Notice. R: 1179

South Africa - Occupational Exposure Limits (Airborne Pollutants)

Local name	Propylene glycol (Propane-1,2-diol)
OEL TWA	470 mg/m ³ total (particulate & vapor) 10 mg/m ³ particulate

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 8

1,2-Propanediol (57-55-6)

	150 ppm total (particulate & vapor)
Regulatory reference	Government Notice No. R 904

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid
Appearance : No data available
Colour : White to light yellow
Odour : Characteristic odour
Odour threshold : No data available
pH : 3.36
pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available
Relative evaporation rate (ether=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available
Flash point : > 93.4 °C
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability : Non flammable.
Vapour pressure : No data available
Vapour pressure at 50°C : No data available
Relative vapour density at 20°C : No data available
Relative density : No data available
Relative density of saturated gas/air mixture : No data available
Density : 1.22 g/ml
Relative gas density : No data available
Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Partition coefficient n-octanol/water (Log Kow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 8

Lower explosion limit	: No data available
Upper explosion limit	: No data available
Physical state	: Liquid
Appearance	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical Stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l) (335104-84-2)

Unknown acute toxicity (GHS ZA)Unknown acute toxicity (GHS ZA)	38.93% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 94.67% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 99.59% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))
--	--

tembotrione (335104-84-2)

LD50 oral rat	> 2500 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 4.58 mg/l/4h

Isoxadifen-ethyl (163520-33-0)

LD50 oral rat	1740 mg/kg bodyweight (EU Method B.1: Acute Toxicity (Oral), Rat, Male / female, Experimental value, Oral, 15 day(s))
---------------	---

Polysiloxane (68083-14-7)

LC50 Inhalation - Rat	4.5 mg/kg Source: TOMES;LOLI
-----------------------	------------------------------

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 8

Xanthan gum (11138-66-2)

LD50 oral rat	45000 mg/kg
---------------	-------------

1,2-Propanediol (57-55-6)

LD50 oral rat	22000 mg/kg (Rat, Male / female, Experimental value, Oral)
---------------	--

LD50 dermal rat	20800 mg/kg
-----------------	-------------

LC50 Inhalation - Rat (Vapours)	> 44.9 mg/l/4h
---------------------------------	----------------

Water (7732-18-5)

LD50 oral rat	90000 mg/kg
---------------	-------------

Skin corrosion/irritation : Causes mild skin irritation.

pH: 3.36

Serious eye damage/irritation : Not classified

pH: 3.36

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : Not classified

Hydroxyethyl cellulose (9004-62-0)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure	: May cause damage to organs (eyes, liver, kidneys) through prolonged or repeated exposure.
------------------------	---

tembotrione (335104-84-2)

STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
------------------------	--

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

tembotrione (335104-84-2)

LC50 - Fish [1]	> 100 mg/l Rainbow trout
-----------------	--------------------------

ErC50 algae	0.75 mg/l
-------------	-----------

ErC50 other aquatic plants	0.008 mg/l Lemna gibba
----------------------------	------------------------

Additional data	Birds: Acute oral LD50 for bobwhite quail > 2250 mg/kg. Dietary LC50 for bobwhite quail > 5620 mg/kg diet. Worms: LC50 (14d) for Eisenia fetida 1000 mg/kg soil. Bees (LD50, ug/bee) > 100 (contact) (72h); >93 (oral) (72h)
-----------------	---

Isoxadifen-ethyl (163520-33-0)

LC50 - Fish [1]	0.34 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
-----------------	---

Polysiloxane (68083-14-7)

LC50 - Fish [1]	0.00000004 mg/l
-----------------	-----------------

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 8

Polysiloxane (68083-14-7)	
EC50 96h - Algae [1]	0.000067 mg/l
Xanthan gum (11138-66-2)	
LC50 - Fish [1]	420 mg/l Source: ECOTOX
1,2-Propanediol (57-55-6)	
LC50 - Fish [1]	51600 mg/kg Oncorhynchus mykiss
LC50 - Fish [2]	710 mg/kg Pimephales promelas
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna
EC50 - Crustacea [2]	> 1000 mg/l Daphnia magna
EC50 96h - Algae [1]	19000 mg/l Pseudokirchneriella subcapitata
ErC50 algae	24200 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

12.2. Persistence and degradability

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l) (335104-84-2)	
Persistence and degradability	Not rapidly degradable
tembotrione (335104-84-2)	
Persistence and degradability	
Isoxadifen-ethyl (163520-33-0)	
Persistence and degradability	
Fatty alcohol ethoxylate (103171-18-2)	
Persistence and degradability	
Hydroxyethyl cellulose (9004-62-0)	
Persistence and degradability	
Polysiloxane (68083-14-7)	
Persistence and degradability	
Xanthan gum (11138-66-2)	
Persistence and degradability	
1,2-Propanediol (57-55-6)	
Persistence and degradability	
Biochemical oxygen demand (BOD)	0.96 – 1.08 g O ₂ /g substance
Chemical oxygen demand (COD)	1.63 g O ₂ /g substance
ThOD	1.69 g O ₂ /g substance
Water (7732-18-5)	
Persistence and degradability	

12.3. Bioaccumulative potential

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l) (335104-84-2)	
Bioaccumulative potential	No additional information available
tembotrione (335104-84-2)	
Partition coefficient n-octanol/water (Log Pow)	-1.37 (≥ -1.09)

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 8

tembotrione (335104-84-2)

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

Isoxadifen-ethyl (163520-33-0)

BCF - Fish [1]	2521 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
----------------	---

Partition coefficient n-octanol/water (Log Kow)	3.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
---	---

Hydroxyethyl cellulose (9004-62-0)

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

1,2-Propanediol (57-55-6)

Partition coefficient n-octanol/water (Log Kow)	-1.1 (Experimental value, EU Method A.8: Partition Coefficient, 20.5 °C)
---	--

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

Water (7732-18-5)

Partition coefficient n-octanol/water (Log Kow)	-1.38
---	-------

12.4. Mobility in soil

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l) (335104-84-2)

Mobility in soil	No additional information available
------------------	-------------------------------------

tembotrione (335104-84-2)

Ecology - soil	No (test)data on mobility of the substance available.
----------------	---

Isoxadifen-ethyl (163520-33-0)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.83 – 2.25 (log Koc, Calculated value)
--	---

Hydroxyethyl cellulose (9004-62-0)

Ecology - soil	No (test)data on mobility of the substance available.
----------------	---

1,2-Propanediol (57-55-6)

Surface tension	71.6 mN/m (22 °C, 1.01 g/l, EU Method A.5: Surface tension)
-----------------	---

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.46 (log Koc, Calculated value)
--	----------------------------------

Ecology - soil	Highly mobile in soil.
----------------	------------------------

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal Considerations

13.1. Disposal methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.




Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 8

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
3082	3082	3082
14.2. UN Proper Shipping Name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains tembotrione 420 g/l + isoxadifen-ethyl 210 g/l)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. . (contains tembotrione 420 g/l + isoxadifen-ethyl 210 g/l)	Environmentally hazardous substance, liquid, n.o.s. . (contains tembotrione 420 g/l + isoxadifen-ethyl 210 g/l)
14.3. Transport hazard class(es)		
9	9	9
		
14.4. Packing group, if applicable		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

14.6. Special precautions for user

SANS

Special provisions (SANS)	: 179, 274, 331, 335
Limited quantities (SANS)	: 5 L
Limited quantities (SANS)	: 5 L
Packagings, large packagings and IBCs Packing instructions (SANS)	: P001, IBC03, LP01
Packagings, large packagings and IBCs Special packing instructions (SANS)	: PP1
Portable tank and bulk containers instructions (SANS)	: T4
Portable tank and bulk container special provisions (SANS)	: TP1, TP29

IMDG

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG

Trombone 630 SC (Tembotrione 420 g/l + Isoxadifen-ethyl 210 g/l)

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 8

PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L

14.7. Transport in bulk according to IMO instructions

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

15.1.1. Occupational health and safety act, 1993

Prohibited Hazardous Chemical Agents

Not regulated

15.2. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date : 30/04/2025

Full text of H-statements:

H302	Harmful if swallowed
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa (HCA)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.